



CandleScanner User Guide

Beta Version 4.0.1

Disclaimer

Software License Agreement

Table of Contents

1	Introduction	7
1.1	Technical support	8
1.2	Editions of CandleScanner.....	8
1.3	Technical requirements.....	8
1.3.1	Software requirements.....	8
1.3.2	Hardware requirements.....	9
1.4	Purchasing and installation process.....	9
1.4.1	Licensing policy	9
1.4.2	Creating a user's account	10
1.4.3	Purchasing process.....	10
1.4.4	Installing your application.....	11
1.4.5	Starting the application.....	11
1.4.6	Upgrading your application	11
1.4.7	Uninstalling your application	12
2	Basic interface operations	13
2.1	Main window interface	13
2.1.1	Understanding windows docking system.....	13
2.1.2	Arranging docking windows.....	16
2.1.3	Docking windows assistant	16
2.1.4	Floating windows	17
2.1.5	Auto-hiding windows	18
2.1.6	Keyboard support	20
2.1.7	Ribbon menu bar.....	20
2.1.8	Application themes	20
2.2	Importing data quotes into CandleScanner.....	21
2.2.1	Supported data formats.....	21
2.2.2	Requirements for the maximum data size and minimal time interval	22
2.2.3	Organizing imported symbols into groups.....	22
2.2.4	Importing MetaStock® data quotes	22
2.2.5	Importing ASCII data quotes	23
2.2.6	Using the CandleQuote application as a data source.....	24
2.2.7	Automatic quotes update	25
2.3	Working with price chart.....	25
2.3.1	Supported price chart types.....	25
2.3.2	Using chart styles	26

3	Basic candle concepts.....	27
3.1	Candlestick construction	27
3.1.1	Blended candlesticks.....	28
	In CandleScanner you can switch the time interval in two ways:	30
3.2	Long and short lines.....	30
3.3	Basic candles.....	32
3.3.1	Candles with different open and close prices.....	33
3.3.2	Marubozu candles	33
3.3.3	Spinning tops	33
3.3.4	Doji candles.....	33
3.4	Candlestick charts: CandleScanner color theme.....	34
3.5	Price trend and price averages	35
4	Scanning candlestick patterns.....	37
4.1	Supported candlestick patterns.....	37
4.2	Displaying patterns on the chart	38
4.2.1	List of identified patterns.....	38
4.2.2	Synchronization between the list of found patterns and the price chart.....	39
4.2.3	Highlighting patterns on the chart	39
4.3	Recent patterns	39
4.3.1	Checking the list of the most recent patterns for recently used symbols.....	39
4.3.2	Checking the list of the most recent patterns for the group of symbols.....	40
4.4	Scanner settings.....	40
4.4.1	Basic settings	40
4.4.2	Pattern validity settings	40
4.4.3	Managing scanner settings profiles	40
4.5	Practical recommendations on using CandleScanner	41
4.5.1	Scanning only interesting patterns.....	41
4.5.2	Scanning speed and some performance recommendations.....	41
5	Working with statistics	44
5.1	Symbol statistics.....	44
5.2	Group statistics	44
5.3	How to interpret statistics	44
5.4	Exporting statistics data to external files	45
5.4.1	Exporting to Excel spreadsheet.....	45
5.4.2	Exporting to text file	45
6	Backtesting	46
6.1	Backtesting module settings.....	46
6.1.1	Entry conditions	46

6.1.2	Exit conditions.....	46
6.2	How to read the backtest report	46
7	Technical analysis.....	47
7.1	Working with technical analysis indicators on the chart	47
7.1.1	Adding an indicator to the chart.....	47
7.1.2	Hiding indicators on the chart	47
7.1.3	Removing indicators from the chart.....	47
7.1.4	Editing indicators	48
7.2	Technical overlays	48
7.2.1	Bollinger Bands (BB)	48
7.2.2	Chandelier Exit (CE)	48
7.2.3	Envelope.....	48
7.2.4	Exponential Moving Average (EMA)	48
7.2.5	Parabolic Stop and Reverse (Parabolic SAR)	48
7.2.6	Simple Moving Average (SMA)	48
7.2.7	Weighted Moving Average (WMA)	48
7.3	Technical indicators	48
7.3.1	Average True Range (ATR).....	48
7.3.2	Moving Average Convergence/Divergence Oscillator (MACD)	49
7.3.3	Relative Strength Index (RSI)	49
7.3.4	Standard Deviation (SD).....	50
7.3.5	Stochastic Oscillator	50
7.3.6	Stochastic Momentum Index (SMI)	50
	Appendix A: Supported candle patterns	51
A.1	Basic candles	51
A.2	One-line patterns.....	55
A.3	Two-line patterns	58
A.4	Three-line patterns.....	66
A.5	Four-line patterns.....	74
A.6	Five-line patterns.....	75
	Appendix B: List of ribbon bar elements.....	81
B.1	FILE tab	81
B.2	HOME tab	81
B.3	DATA tab.....	83
B.4	VIEW tab	84
B.5	STATISTICS tab.....	85
B.6	BACKTEST tab	86
	Appendix C: Troubleshooting.....	87

Appendix D: Data feeds 88

 D.1 Free data feeds 88

 D.2 Paid data feeds.....88

Appendix E: Frequently Added Questions 89

1 Introduction

CandleScanner™ is a technical analysis software package created for investors interested in Japanese candle patterns. What makes this application exceptional is that, from the outset, it has been specifically designed for the detection of Japanese candle patterns. It is not just an add-on to an existing analysis platform, but a specialist charting application written by people with an extensive knowledge of the topic of Japanese candlestick patterns. It is suitable for both seasoned traders and complete beginners.

Japanese candle patterns are well known and routinely implemented in displaying price behavior. However, when apparent emerging patterns are analysed and discussed, it is frequently the case that the conclusions are imprecise, and, indeed, often result in contradictory interpretations of what the patterns are actually saying. Hence, to accurately implement a tool scanning charts for candle patterns is not a straightforward undertaking.

Candle patterns are very interesting for traders due to their simplicity, elegance and natural interpretation of market sentiment. No matter how markets evolve, 'patterns' will appear on the charts. Essentially, the core premise, and assumption, underlying the application of technical analysis is that such patterns are repetitive and detectable. Technical analysis is widely employed in various financial markets, informing traders about the non-fundamental determinants of price, in other words, "market sentiment."

However, observing an apparent repeating pattern on a chart can result in completely different trading outcomes. Experienced traders know that the efficiency of an investment decision depends not only on the analytical tool(s) employed, but also on other factors, such as risk and position management. In this regard, CandleScanner™ can be implemented as an objective tool aiding the trader in taking positions, based on the *systematic* evaluation of price behavior.

Trying to identify patterns manually, or visually, by merely scanning the charts can be problematic. It can be also be dangerous, as there may be a tendency to see patterns, where there are none, in random data. For example, the very successful trader, William Eckhardt, in the Jack Schwager book "*The New Market Wizards*", says that we as human beings don't look at data neutrally. That is, when the human eye scans a chart it doesn't give all the data points equal weight. Instead, there is a tendency to focus on certain 'outstanding' cases, and to form opinions on the basis of these special cases. That's why when Eckhardt has an insight based on a chart pattern, he tries to reduce it to an algorithm that can be tested on a computer. In order to investigate whether or not the insight has any value, it should be explicitly formulated, tested and evaluated. In this regard, an objective assessment has a lower chance of being biased, which is crucial when making trading decisions.

The application of CandleScanner™ is extremely versatile, and can be used by a whole spectrum of traders involved in, for example, stock market trading, commodities markets, futures markets or forex. Also, those who are just beginners will find CandleScanner™ a great learning and training tool, where they can learn from real-life data-based examples, rather than just pure text book theory.

So, what can the CandleScanner™ application achieve?

With the application you can do the following:

- Quickly scan candlestick charts to find all occurrences of candle patterns
- Measure the efficiency of patterns, i.e. are they working as you expect them to?
- Build trading strategies based on candle patterns and simulate transactions (backtesting)

CandleScanner™ is highly configurable, meaning that you can adjust it to your specific needs. The algorithms scanning the candlesticks charts have many parameters, which can be set by the user. Also, the visual aspects of the application are highly customizable, enabling everyone to find their desired optimal settings.

Please check out the Facebook site www.facebook.com/candlescanner or our website www.candlescanner.com for further discussion of CandleScanner's capabilities, candlestick analyses, featured articles, the interpretation of candlesticks patterns, backtest results and more.

Finally, recalling Warren Buffet's (alleged) refection on the markets: *'I'd be a bum in the street with a tin cup if the markets were efficient.'* CandleScanner can help you exploit such inefficiencies.

1.1 Technical support

When you purchase the CandleScanner license (full or upgrade) you are entitled, for free, to unlimited technical support for one full year since the date of purchase. To obtain help please use the following email address: contact@candlescanner.com.

Typically our response time is less than 12 hours and does not exceed 72 hours (including weekends and holidays). Mostly technical issues are fixed within 10 working days (i.e. time to release a bug fix) but we reserve the right to exceed this period on occasions. During this period you are informed about the estimated time and current progress on the issue.

1.2 Editions of CandleScanner

Currently, as of this writing, there are two editions of CandleScanner available, and one planned to be released in 2015:

- End-of-Day Edition
- Intraday Edition
- Real-Time (*)

The following Table summarizes differences between the CandleScanner editions.

Feature	End-of-Day Edition	Intraday Edition	Real-Time Edition (*)
End-of-day (EOD) charting/back testing/scanning	Yes	Yes	Yes
Intraday (<i>n</i> minutes, <i>n</i> hours) charting/back testing/scanning	No	Yes	Yes
Algorithms detecting 84 Japanese candle patterns	Yes	Yes	Yes
Statistics module	Yes	Yes	Yes
Back testing module	Yes	Yes	Yes
Real-time scanning and alerting	No	No	Yes
Real-time data quotes support from IQFeed	No	No	Yes
Real-time data quotes support from eSignal	No	No	Yes

(*) Version available for sale in Q2 2015

1.3 Technical requirements

1.3.1 Software requirements

In order to successfully run and use the CandleScanner application you need to have a computer with one of the following operating systems:

- Windows XP
- Windows Vista
- Windows 7
- Windows 8
- Windows 8.1

- Mac OS (see note below)

Both versions are supported: 32-bit and 64-bit.

Additionally, you need to have **.NET Framework 4.0** or above installed on your computer. If this is not the case please visit [Microsoft](https://www.microsoft.com/net/framework) website to download it and install it first on your machine, prior installing CandleScanner.



CandleScanner is designed for the Microsoft Windows operating systems to run as a desktop application. However, for all those users who would like to run it on other platforms, including tablets and Mac OS, there are solutions which can help:

- **Tablets.** Tablet with a full Windows version and Intel processor is required, e.g. MS Surface Pro, Acer Iconia W4-821, Dell Venue 8 Pro, Asus Transformer T100.
- **Apple Mac OS.** To run CandleScanner on a Mac OS you need to install a so called virtual machine which simulates a computer with installed Windows. There are some commercial solutions like:
 - [Parallels Desktop](#) (recommended)
 - [VMWare Fusion](#)
 - [CrossOver Mac](#)

Among free solutions you can try [VirtualBox](#) (for the more technically advanced users).

Although it is possible to run CandleScanner on platforms other than Microsoft Windows, officially they are not supported and we cannot take responsibility for any resulting problems.

1.3.2 Hardware requirements

To run CandleScanner your computer needs to have, as minimum, the following parameters:

- **Processor:** 1 GHz or faster x86-bit or x64-bit with SSE2
- **Memory:** 1 GB RAM (32-bit) or 2 GB RAM (64-bit)
- **Hard disk:** 300 MB available disk space
- **Display:** 1366 x 768 screen resolution

1.4 Purchasing and installation process

1.4.1 Licensing policy

Once the application is bought the user has the following benefits:

- One-time fee for using the application lifetime without any limits
- Free updates for the first year since purchase
- 50% discount on upgrades to latest version (after first year since purchase)
- Free technical support for one year since purchase

All licenses are for one computer only. If you need to use the application on more than one computer please contact us at contact@candlescanner.com for discount(s).



Activation of the licences is an automatic process during the installation process. Active internet connection is required because the security keys are retrieved from the remote license server. CandleScanner will not work as a full version without these keys.

Please do not distribute to anyone your user name and/or password which are used during the registration process. Every connection to the remote server is registered, and, if we notice any form of abuse, e.g.

multiple license registrations under the same user credentials, we reserve the right to permanently revoke the license without any warning.

1.4.2 Creating a user's account

In order to purchase the application you need to create an account at <http://candlescanner.com> website. If you are already a registered user, please go to the next section regarding the purchasing process.

To create user's account please navigate to <http://candlescanner.com> and click the **Create account** button, located in the top left corner of the page. Please provide the required information and press the **Create account** button. If the operation is successfully completed you will receive an email at the provided address together with a password.

To login please navigate to <http://candlescanner.com> and click the **Login** button located in the top left corner of the page. Use the password which was sent during creation of the account.

You can change the password once you are logged in on the website. Please click **Dashboard** in the top right side of the page and then click **Change password**. Please note that passwords needs to contain at least 5 characters. See Figure 1 for details.




Figure 1.1 Webpage from which users can change the password to their accounts.

1.4.3 Purchasing process

All payments are made via PayPal™ service. The whole process of purchasing CandleScanner is fully automated. Our shop is open 24 hours a day, 7 days a week.



We encourage you to download the free trial version (fully operational for 14 days) to see if the application suits your expectations and needs. There are no refunds in respect of purchased licenses.

In order to purchase CandleScanner you need to be logged in at <http://candlescanner.com> (if you do not have an account please go to the previous section of this Guide for more instructions). You can then click on the **Dashboard » My service**. In the **Buy product** tab you need to select **CandleScanner**. You need to accept the **Terms & Conditions for ordering and using LEMPART products**. Finally, click the **Purchase** button. You will be navigated to the PayPal website where you can complete payment process.

After successful payment you receive an email with instructions on how to download and install the application on your computer. You will be automatically be navigated back to the <http://candlescanner.com> website.

1.4.4 Installing your application

In order to start the installation of CandleScanner you need to download it first. The download link you can find in the email which you receive after purchase. You can also navigate to the download link via **Dashboard » Download** and then click on the CandleScanner. Please note that you need to be logged in at <http://candlescanner.com> in order to download the installation file.

After successful download of the installation file you need to run it, by double-clicking. The process is very straightforward and does not require any specific technical knowledge from the user. Simply follow the steps as they are displayed on the screen. The options which can be changed by the user during installation process are the following:

- Language in which you want to use the application
- Location where you want to store the application on your computer
- Whether the user wants, or not, a shortcut to be created on the desktop
- Whether the user wants, or not, to run automatically the application immediately after the installation process. (It is recommended you run it automatically at the end of installation process in order to facilitate an uninterrupted registration.)



While downloading the file you may see warnings from your operating system/other security software that the file to be downloaded is potentially dangerous to your computer. All files downloaded from <http://candlescanner.com> are digitally signed giving you the guarantee that they are absolutely secure for your machine and were not tampered with by anyone. In order to check if the downloaded file is digitally signed right click on it, select **Properties** and then go to the **Digital Signatures** tab, which contains the details of the digital signature. If the **Digital Signatures** tab does not exist it means that the file has not been signed-off by us by and can therefore be potentially dangerous (that is, it could be tampered by anyone).

When the user starts CandleScanner for the first time he/she will be asked to provide the registration data. This is exactly the same information which was used during opening the account process on the website in order to purchase the product.

1.4.5 Starting the application

Once the installation process is finished you are ready to run it. You can access the application via the shortcut created either on the Windows Desktop (if you selected this option during installation) or from the Start menu/screen.

CandleScanner is distributed with some built-in market data in order that you can immediately start working with it. This data is available in the **Groups** section of the Home screen. The data can be removed by the user. Users can, of course, import their own data and you can find more on this in the section *Importing data quotes into CandleScanner*.

1.4.6 Upgrading your application

Whenever a newer version is available for download you can simply perform the same steps as for normal installation. It is recommended you first remove the existing application in order to avoid any problems or conflicts with the newer version. Before this, we highly recommend you backup any files or settings from your existing installation.

1.4.7 Uninstalling your application

Your application can be easily removed from your computer via **Control Panel** of your operating system: **Control Panel** » **Uninstall a program**, select **CandleScanner** and press the **Uninstall** button. Follow the instructions to complete the process.

2 Basic interface operations

In this section we describe the basics of CandleScanner which are used most often on a daily basis by users.

2.1 Main window interface

CandleScanner is a highly customizable application which can be configured to meet user's specific requirements. The application is composed of several windows which can be managed in many ways. CandleScanner implements a so called *docking system* which is employed in other professional specialized software such as *Microsoft Visual Studio* and used to develop software.

CandleScanner has the following features with regard to its windows management system:

- Containers for windows contain dockable windows. Containers can fill the entire CandleScanner area or can be limited to any rectangular area chosen by the user.
- Tabbed windows which can be switched between, resized, dragged to arrange in various configurations and closed.
- Windows from the main CandleScanner window can be dragged outside their containers (so called *floating windows*), dragged to other containers or collapsed and transformed to tabbed documents (this is possible only for so called *tool windows*).
- The user has complete control over sizing and layout behavior.
- CandleScanner remembers the recent layout and restores it when starting the application.



CandleScanner provides the option to reset windows layout to its default settings. This may be helpful especially for less experienced users, who after several changes within CandleScanner windows layout, may want to go back to the original settings.

*To set CandleScanner default windows layout click **VIEW»Windows Layout»Default Layout** button on the ribbon bar. Please note that your current settings of the windows layout will be lost.*

2.1.1 Understanding windows docking system

There are two main types (classes) of windows within the main CandleScanner window: **documents windows** and **tool windows**, shown in Figure 2.1. They are used for different purposes. Document windows are mainly used to present some content in CandleScanner like candlestick charts, statistics or candlestick pattern dictionary. Tool windows are more auxiliary in nature and in CandleScanner are used mainly to change the current content(s) in the document window or to change the content of other tool windows. Both types have a separate types of containers within which they can be docked.



Container are just a place in which a specific window can be docked (placed).

The Container for tool windows can contain only tool windows. However, the document container can contain both namely, the document and tool windows.

*This means, for example, that the **Symbols** window (which is of type tool window) can be docked in the documents container, along with other documents like, for example, candlestick charts. The reverse is not possible, however.*

For example, when in CandleScanner there is a document window open with a candlestick chart, and we can click on the tool window and select different symbols from the list. By doing this, the document window with the candlestick chart will reload the content to display data for the newly selected symbol. If however, the currently opened document is of a different type, for example containing a candlestick patterns dictionary, then clicking on the same list of symbols in the tool window would not change anything. This is because not all documents have to be connected with tool windows –

candlestick patterns dictionary is an example. No matter what symbol is selected in the tool window with symbols, the document with the dictionary stays the same.



Figure 2.1 Displayed are the tool windows (green rectangle) and document windows (red rectangle). Windows from the green area can be docked in the red rectangle, but the opposite is not possible (i.e. document windows cannot be docked in the tools container).

Clicking on the tool window can have an impact on the content of another tool window. In CandleScanner, for example, there is a tool window with list of symbol groups (e.g. DJIA, FTSE 100, World Stock Indexes, Forex, Precious Metals etc) and another one with symbols belonging to the specific group. Changing different symbol group from the list reloads the list of symbols and displays symbols from newly selected group. This mechanism is presented in the Figure 2.2.

Another difference between document windows and tool windows is in the way they can be managed within CandleScanner. Because tool windows are auxiliary they can be pinned opened or unpinned and then auto-hidden (i.e. collapsed against the nearest side of the tool window container). When there are any hidden tool windows (i.e. unpinned) there is a so called *auto-hide tool tab strip* visible. The Auto-hide tool tab strip contains all the hidden windows in minimized form, displaying just their names without the content. Clicking on them expands the hidden window. When the mouse is not hovered over the unpinned tool window it will minimize, automatically, into the auto-hide tool tab strip again. This can be very helpful because it may happen that we want to have more working space to display, for example, a document window with candlestick charts. Hidden (unpinned) tool windows can be pinned if we want to them to be always visible.

Differences in the behavior of the document windows vs. tool windows are also reflected in their context menus. Document window has commands for closing windows, creating new horizontal and vertical tab groups and for moving windows between groups. Tool window context menu has commands that allow the panel to be **Floating**, **Dockable** (causes the panel to dock) or **Tabbed Document**. If **Tabbed Document** is selected the tool window becomes hosted in a tab strip container along with the tabbed documents. **Auto Hide** causes the panel to be unpinned and collapsed. **Hide** makes the panel invisible.

The anatomy of the windows management system in CandleScanner is shown in the Figure 2.3. Some of the components presented on that figure are described in the subsequent subsections.




Figure 2.2 Clicking on the *DJIA* item in the **Groups** tool window causes the reloading of the DJIA components in the **Symbols** tool window, which then displays the DJIA components (symbols), as shown. Additionally, the currently active document window, which contains the candlestick chart, is also refreshed and plots the selected symbol, IBM in this case.




Figure 2.3 Anatomy of CandleScanner windows. *Tool windows* are in green rectangles (called *tool tab strips*). In the yellow rectangle there is a *document window* container which is divided by a *splitter bar* (violet line). We can see two *document tab strips* (red rectangles). Tool windows can be docked on the document window container, but the opposite is not possible. The blue rectangle is used for auto-hiding tool windows.

2.1.2 Arranging docking windows

A tool tab strip container can include one or more tool windows. You can drag a tool window in the following ways:

- Within a tool tab strip
- From one tool tab strip to another existing tool tab strip
- From one tool tab strip to a new tool tab strip
- From a tool tab strip on a form to a floating tool tab strip
- From a floating tool tab strip to a docked tool tab strip

To move a tool window, drag its title bar from the source location to the new target (or host) container. The *docking assistant* (for details see the subsection *Docking windows assistant*) allows you to place the tool window in a specific relationship to the other panels.

In addition to moving tool window in different tool tab strip containers, you can use the context menu or “pin” icon in the dock panel title bar to make window auto-hidden. This mode collapses the window against an edge of the CandleScanner. Another option is to move a tool window to a container with tabbed documents. Both of these options:

- Save critical space on the end user screen
- Allow more information to be presented at run time
- Allow the end user to customize their work space

Another aspect is resizing of the panel. To resize a tool tab strip/document tab strip container, click the *splitter bar* between two adjacent docking containers and drag the splitter to the desired location. Containers will automatically resize themselves to fit the space available. You can find the splitter bar between docking containers, as shown in the screen shot Figure 2.4 below.




Figure 2.4 When the mouse hovers over the *splitter bar* the mouse icon changes into a line and with bidirectional arrow pointers.

To begin resizing move the mouse over the splitter area until the splitter mouse icon appears (the icon is a line with upward and downward pointing arrows – see Figure 2.4). Then hold the left mouse button down and drag the splitter to a new location. To complete the resize, release the mouse button, dropping the splitter bar in its new location. The panels to either side of the splitter will be resized in relation to the new splitter position.

2.1.3 Docking windows assistant

The so-called *docking windows assistant* is a feature in CandleScanner which helps to pinpoint drag-drop destinations for windows being moved within the application.

This tool is made up of an outer zone and an inner zone of controls. The outer zone consists of four satellite grips, situated at the four points of a virtual compass over the docking container. It is used for positioning a window relative to the primary host container. The inner zone has a center compass with icons for positioning a window in the underlying docking container or in another docking container relative to the underlying one. All of these icons represent a drop target, i.e. the destination for the window you are moving.

To use the docking windows assistant, use the mouse to select the title bar of the source window. Drag the window over the host (destination) container. This action activates the docking windows assistant. Point to the inner or outer zone icon that represents the area you want the window to occupy. When the mouse button is released, the window is relocated. Other windows in the host container, as well as other docking containers within the application, are relocated to accommodate the change.

In addition to the drop target icons, the docking assistant displays docking hints. A docking hint is a visual preview of what space will be occupied by a window. Drop hints are enabled when you are in the process of moving the window and while the mouse pointer is positioned over one of the drop targets.




Figure 2.5 Drop hint is a shaded blue rectangle in the top right side of the window. It shows where the window will be located after the drop. After the drop is made, CandleScanner automatically resizes windows' containers to fill the available space.

In addition to moving windows from one docking container to another, you can place multiple windows into the same visual space so that they overlap. Each window within the overlapped docking area is accessible by use of document tabs.

To place a window as a tab, use the drop target icon at the center of the compass when you drag a window to its destination. The two windows will overlap each other at the site of the destination. Other docking containers and windows will resize themselves automatically to fill the available space.

To un-tab a window, drag the window tab into a docking container using the docking assistant.

2.1.4 Floating windows

Both document and tool windows can be switched into so-called *floating* mode.

There are multiple ways to float a tool window:

- Drag the tool window out of the docked container area to an existing floating container
- Drag the tool window to any area within the docking assistant other than a drop target icon, CandleScanner will create a new floating container with the tool window in it
- Right click the title bar and select **Floating** from the context menu (works only for the tool windows)
- Double-click the title bar

To "un-float" a tool window, drag the title bar to a docked container, or double-click the title bar.




Figure 2.6 Floating window. This can be helpful when we want to use CandleScanner on more than one monitor.

2.1.5 Auto-hiding windows

If you want the (tool) window to auto-hide, un-pin the tool window by clicking the pushpin icon in the title bar. This will cause the window to auto-hide at the edge of the container to which it belongs. The screen shots below show the situation before and after un-pinning the panel.



Figure 2.7 Pinned Properties tool window (marked in red rectangle). Please note on the buttons available in the top right corner you can close or unpin (hide) the window.




Figure 2.8 Unpinned (hidden) Properties tool window.



Figure 2.9 Showing hidden tool window.

By hovering the mouse over the tab at the edge of the container that displays the window title will cause the window to slide out over the other panels. As long as the mouse cursor is over the tab or the panel itself, the panel will stay visible. Moving the mouse away from the tab and panel will cause the panel to collapse again to its un-pinned state. To dock the panel, click the "pin" button to pin the panel in place.

2.1.6 Keyboard support

Some users prefer to use the keyboard rather than the mouse. CandleScanner enables the user to switch between windows using the keyboard. By pressing **CTRL+TAB** the navigator selector window will appear. Leave the **CTRL** button depressed and press the **TAB** button to scroll through the names of the open CandleScanner windows. A list of windows in the navigator selector window sorts them by type, i.e. tool windows and document windows. To switch between these two groups use the mouse or arrow keys.

2.1.7 Ribbon menu bar

Ribbon bar control provides a flexible way for organizing all of the functionality in CandleScanner:

- The entire application functionality is accessible from a single place
- The Ribbon in CandleScanner is divided into the tabs **HOME**, **DATA** and **VIEW**. These tabs are permanently visible
- There are also tabs which are shown contextually: **STATISTICS** and **BACKTEST**
- When the users click on a tab, they are presented with the ribbon groups such as **New Window** or **Active Window** in the **HOME** tab




Figure 2.8 Ribbon bar provides a flexible way for organizing all the functionality of CandleScanner.

Tabs which are shown only contextually improve CandleScanner's usability. As an example, let's take the **STATISTICS** tab. When user is working with the chart document, the **STATISTICS** tab is hidden (see Figure 2.5). This is useful, because in the context of a chart document none of the actions available in that tab are relevant. When user opens a new statistics document or switches to an already opened statistics document making it active, the **STATISTICS** tab appears (see Figure 2.6). When the user switches back to the chart document the **STATISTICS** tab disappears. The **HOME** tab is available at all times.

2.1.8 Application themes

CandleScanner can be used with different color themes to meet your personal requirements. The application can be run in two different *colour themes*:

- Blue
- Dark

A stylish *Dark* look and feel is much less distracting for many people whereas *Blue* is very much similar to most other applications you may already be using.



Figure 2.9 CandleScanner in Dark Theme.

In order to change the theme navigate to: **File » Settings » General » Theme**. Please note that in changing the application theme you are forced to reopen the application.

2.2 Importing data quotes into CandleScanner

In this section you will find information on the types of data formats supported by CandleScanner and how to load your data.

2.2.1 Supported data formats

In order to import data into CandleScanner it needs to be saved in one of the following formats:

- **ASCII** (American Standard Code for Information Interchange) text format. Data files are plain text files which can be opened in any text editor (e.g. Windows Notepad). Every single line in such file contains as a minimum: date and four prices (open, high, low, close), which is enough to plot a candlestick on the chart. Some files can also contain more data like: time (for intraday quotes), volume or open interest (futures). CandleScanner can read ASCII file with market quotes in a form so called **comma-separated values** (CSV) file which has a separator character between fields. Before importing such data into CandleScanner we need to provide information explaining how to interpret the file format (e.g. what is the separator character or the meaning of the fields).
- **MetaStock** data format. This format is widely used to store market quotes. The advantage of this format over the ASCII format is the ease of import because the user does not have to provide information how to interpret the file. The drawback, however, can be that it cannot be opened and read in the text editor because this is a binary format (i.e. understandable only by the computer).
- **CandleScanner** format. You obtain this data format if you use the CandleQuote application. Technically, this format is saved as an ASCII file, but in a way which enables simple import into the CandleScanner application.

2.2.2 Requirements for the maximum data size and minimal time interval

CandleScanner accepts a data size up to 500,000 quotes (half million) per symbol, with the minimal time interval of 1 minute. This for most users probably more than sufficient. For example, 500,000 quotes are equal to:

- 347 days of 1-minute time intervals
- 83 years (assuming there is 250 trading days in a year) of hourly time intervals
- 2000 years (assuming there is 250 trading days in a year) of daily data

In general, it is best to make sure that the loaded data sets are no larger than needed because, the larger the data to process the lower the performance of the application. For more on this please look at *Scanning speed and some performance recommendations* in this Guide.

2.2.3 Organizing imported symbols into groups

You can think of *groups* in CandleScanner as of folders (directories) in your operating system where you store your files (called symbols in CandleScanner terminology). For example, you decide to create a *NASDAQ* group, into which you import all the components (symbols) for this particular stock index.

There are a few restrictions and rules which apply to both groups and symbols:

- Groups cannot be embedded within other groups
- Every group must be either of type *intraday* or *EOD* (end-of-day)
- Group names have to be unique
- Symbols always belong to a particular group
- Symbol names (tickers) must be unique within a given group (the same symbol name can exist, however, in other groups)

You can move symbols between groups similarly as you can move files between folders in your operating system. Symbols can be moved to other groups if they are the same type as the current group. You also can remove (delete) symbols from the group. Groups can also be renamed.

When you create a group and import symbols, CandleScanner assigns to the group a *type* reflecting the time interval. There are two types: *intraday* for all data quotes smaller than a day, and *EOD* (end-of-day) for daily quotes. Groups of type *EOD* cannot store symbols of type *intraday*.



Intraday symbols can be stored in the same group even if they have a different base time interval (i.e. the time in which prices are quoted for the given symbol in the file).

For example, you can put to the same intraday group 15-minutes EUR/USD and 1-minute EUR/CHF. However, it is recommended to avoid this practice and create separate groups for every base time interval.

*Organising symbols this way introduces clarity, especially when it comes to the calculation of statistics for the whole group (for more details please go to **Group statistics** section).*

2.2.4 Importing MetaStock® data quotes

To import data into CandleScanner from Metastock files click the **Import » Metastock** button from the **DATA** menu on the ribbon bar. This opens the **Metastock Data Import Wizard** which guides you through the whole process. There are 4 steps within this wizard. If you need you can use the **< Back** button to return to the previous step.

STEP 1:

1. Specify the folder on your computer where the Metastock files are stored by clicking the button beside the **Select folder containing Metastock data** text field.

2. Select checkbox **Automatic quote update** if you would like CandleScanner to read the directory from which you are importing to (for more see *Automatic quotes update* in this chapter).
3. Press **Next >** button.

STEP 2:

1. Wizard reads the folder specified in *STEP 1* and displays all available symbols on the left side. Select symbols which you want to import into CandleScanner and press **>** button. You can also add all symbols by clicking on the **>>** button. If you want to do the opposite use **<** and **<<** buttons respectively. You can select more than one element by pressing **CTRL** button or **SHIFT** button to select multiple rows at once.
2. Press **Next >** button.

STEP 3:

1. Specify into which symbols group you want to store the imported symbols. You can either select one from the already existing groups (option **Existing group**) or create a new one (option **New group**). Note that if you specify a group it has to be of the same type, i.e. *intraday* or *EOD* as the data which is being imported.
2. Press **Next >** button.

STEP 4:

1. The importing process is completed. If any problems were encountered during the import you will see details in the lower panel of this screen.
2. Press **Finish** button.

2.2.5 Importing ASCII data quotes

To import data to CandleScanner from text file click **Import » Text File** button from the **DATA** menu on the ribbon bar. This opens **ASCII Data Import Wizard** which guides through the whole process. There are 5 steps within this wizard. If you need you can use **< Back** button to return to the previous step.

STEP 1:

1. Specify the folder on your computer where the ASCII data is stored by clicking **...** button beside the **Select folder containing ASCII data** text field.
2. In the field **Import schema (optional)** you can select an *import schema* which simplifies the import process. Please note that import schema need to be first created and also it has to be appropriate for the data being imported.



Import schema is a kind of a description of the ASCII format file. In the schema there is information specifying the exact set of the columns, its sequence and data type.

ASCII files can have a different set of columns and some values can be written in different formats (date and time can be written in many possible ways).

Therefore if you imported once ASCII files to CandleScanner you had to provide all these information in the **ASCII Data Import Wizard**. At the end of the import process you can save this as an **import schema** which can be reused next time while importing data with the same format.

3. Select checkbox **Automatic quote update** if you want to make CandleScanner to read the directory from which you are importing to see new quotes (for more see *Automatic quotes update*).
4. Press **Next >** button.

STEP 2:

3. Wizard reads the folder specified in *STEP 1* and displays all available symbols on the left side. Select symbols which you want to import to CandleScanner and press **>** button. You can also add all symbols by clicking on the **>>** button. If you want to do the opposite use **<** and **<<** button respectively. You can select more than one element by pressing **CTRL** button or **SHIFT** button to select multiple rows at once.
4. Press **Next >** button.

STEP 3:

3. Specify in which symbols group you want to store the imported symbols. You can either select one from the already existing groups (option **Existing group**) or create a new one (option **New group**). Note that if you specify a group it has to be of the same type, i.e. *intraday* or *EOD* as the data which is being imported.
4. Press **Next >** button.

STEP 4 (skipped if import schema was selected in STEP 1):

1. Assign to each column an appropriate data type. Application displays first rows of the file, split into columns, to make the process easier. Right click on every column and select the data type.
2. Press **Next >** button.

STEP 5:

3. The importing process is completed. You can save current import settings as an *import schema* and use them next time to optimize the import process. If any problems were encountered during the import you will see details in the lower panel of this screen.
4. Press **Finish** button.

2.2.6 Using the CandleQuote application as a data source

CandleQuote™ is an application which can be combined with CandleScanner to get free data quotes using YAHOO! Finance service. You can buy it on [CandleScanner website](#).

First you use CandleQuote application to download data quotes which are interesting for you. Then you export data quotes to a text file (ASCII file in CSV format). This data is compatible with any trading tool supporting EOD ASCII files.

You can also export data to format which can be easily understood by CandleScanner, called *CandleScanner format*. For more on CandleQuote please follow [CandleQuote FAQ](#) and [CandleQuote User's Manual](#).



Internally when you export data from CandleQuote in "CandleScanner format" it is saved in ASCII file but with the structure which CandleScanner can understand. This is why you do not have to tell CandleScanner during import process what is the structure of the imported data when it is in the CandleScanner format.

To import data to CandleScanner from CandleScanner files click **Import » CandleScanner** button from the **DATA** menu on the ribbon bar. This opens **CandleScanner Data Import Wizard** which guides you through the whole process. There are 4 steps within this wizard. If you need you can use **< Back** button to return to the previous step.

STEP 1:

1. Specify the folder on your computer where the CandleScanner files are stored by clicking **...** button beside the **Select folder containing CandleScanner data** text field.
2. Select checkbox **Automatic quote update** if you want to make CandleScanner to read the directory from which you are importing to see new quotes (for more see *Error! Reference source not found.* in this chapter).
3. Press **Next >** button.

STEP 2:

5. Wizard reads the folder specified in *STEP 1* and displays all available symbols on the left side. Select symbols which you want to import to CandleScanner and press **>** button. You can also add all symbols by clicking on the **>>** button. If you want to do the opposite use **<** and **<<** button respectively. You can select more than one element by pressing **CTRL** button or **SHIFT** button to select multiple rows at once.
6. Press **Next >** button.

STEP 3:

5. Specify in which symbols group you want to store the imported symbols. You can either select one from the already existing groups (option **Existing group**) or create a new one (option **New group**). Note that if you specify a group it has to be of the same type, i.e. *intraday* or *EOD* as the data which is being imported.
6. Press **Next >** button.

STEP 4:

5. The importing process is completed. If any problems were encountered during the import you will see details in the lower panel of this screen.
6. Press **Finish** button.

2.2.7 Automatic quotes update

The *Automatic quotes update* simplifies updating of already imported data with new quotes. When you select this option you can update this folder with newer data and CandleScanner automatically update, without the necessity of having to go through the steps in the manual import routine.

For example, you may have daily updates of price data from your brokerage firm. You have created a folder on your computer where you store this data. You import it once into CandleScanner and then, periodically, update this folder with newer data. CandleScanner will detect the newer data. Use this option if you want to periodically update the data.

Please note, that in order to use the automatic quotes update you need to keep the folder from which you imported the data on your drive. You also cannot change the name or location of this folder.

2.3 Working with price chart

2.3.1 Supported price chart types

CandleScanner supports three types of price charts:

- candlesticks chart (for more see *Candlestick construction*)
- bar chart
- line chart
- You can switch between different types of chart using buttons located on the ribbon bar at **HOME » Chart** group (see *Figure 2.10*).




Figure 2.10 Switching between different chart types.

Candlestick charts can be displayed in one of the four modes:

- **Classic.** This is most widely used candlestick chart mode, in which *down* (black) candlesticks are coloured and *up* (white) candlesticks are empty.
- **CandleScanner.** This mode is recommended for more advanced users. For more details please read *Candlestick charts: CandleScanner color theme*.
- **Trend.** This is similar to **Classic** mode (i.e. we have colored and empty candlesticks) but the candles have a different colour depending if they in an uptrend or a downtrend.
- **Custom.** This mode allows a lot of customization by the user.

All modes can be customized using *Styles* (please see *Using chart styles* for more details).




Figure 2.11 Buttons for switching between different candlestick chart mode.

2.3.2 Using chart styles

There are many characteristics on the chart area in CandleScanner which can be customized to meet your specific requirements. For example, you can change features such as:

- size and color for all chart types, i.e. candlesticks, bar and line
- font size and color
- background color
- background details (interlaced or not, axes size, line type and color)

CandleScanner allows managing chart styles which can be saved as themes. Users can create new and modify existing themes. There are also built-in themes, which can be used as templates for the new themes created by the user. Built-in themes cannot be modified (i.e. when you modify anything within a built-in template you can only save it as a new theme). All built-in themes can be distinguished from user created themes as they have in their name (**built-in**) at the end.

Users can easily change the current theme by clicking on the **Style Edition** button. When the theme is selected the change is immediately visible in the background so the user does not have to go back and forth to see how the new theme looks in the application.

When the user is editing the theme, most of the changes will be immediately visible in the background. Thanks to this the user does not have to save and close the edit window in order to see the changes.

3 Basic candle concepts

This section covers concepts and terminology related to candlesticks which are important to understand when using CandleScanner. In addition to the commonly known candlesticks, CandleScanner goes beyond the 'basics' and employs an advanced methodology which can be adapted by more experienced users.

Less experienced users can simply look at the patterns recognized, and generated, by CandleScanner and just check their *efficiency* and other statistics. However, if you want a more in-depth understanding beyond basic candle patterns, it is important to learn and understand CandleScanners capabilities.

In Appendix A we provide a visual display and a brief description of a variety of basic candles and candle patterns. This User Guide is not the place to go into a full discussion and interpretation of candle patterns in textbook fashion, especially into all of the potential bullish and bearish candlesticks patterns which exist. There are literally dozens of bullish and bearish candlestick reversal patterns. In order to obtain a detailed explanation it is necessary do a little research and consult some of the many standard books on candlesticks (such as, Greg Morris's *Candlestick Charting Explained*) out in the market place. The internet, of course, is also a very useful resource in this regard, particularly with (free) access to the various investment educational websites, of which there are many. For new users we recommend further background reading in order to familiarise themselves with the subject, and so, gain a more insightful and fuller experience in using CandleScanner. (Our website will provide a facility where users can exchange information on helpful books/articles and on other resources.)

Perhaps at this point we would add a word of caution. In the context of candlestick analysis, the identification of candle patterns may be important, but that in-it-self is not a sufficient condition for profitable trading. Many texts on candlesticks will most often graphically show that the pattern had correctly signaled the subsequent price action and leave it at that. This can give the erroneous impression that to find the pattern on the chart is all the trader needs to do in order to make a profit. However, by merely looking at the resulting price profile ignores important considerations such as position management and risk management. A full assessment of the profitable success or otherwise of candle patterns requires *back testing* the results, based on candle signals *and* taking account of money and risk management. This is an aspect will be covered more thoroughly on the CandleScanner website.

3.1 Candlestick construction

The construction of the single candlestick, known also as the *candle line*, is based on the basic data in a single time interval and consists of the following (OCLH) components:

- opening price (Open)
- closing price (Close)
- minimum price (Low)
- maximum price (High)

The time interval can be of any length spanning minutes, hours, days, weeks, months or years. However, if we are focused on candle patterns most traders are interested in candles made from intervals not longer than one day.




Figure 3.1 Candlestick construction.

It is common to find OCLH representing the order for displaying the prices (open, high, low, close).

The single candlestick is composed of three elements: *upper shadow* (jap. *uwakage*), *lower shadow* (jap. *shitakage*) and *body* (jap. *jittai*). The Candlestick body is determined by the opening and closing prices, represented by a rectangle. The color of the rectangle differs, depending on whether the opening price is higher or lower than the closing price.

If the closing price is higher, which means that over the time interval we had an increase in price, the candle is referred to as a *white candle*. If the price decreased over given time interval, that is, the closing price is below the opening price, the candle is referred to as *black candle*.

Traditionally, the Japanese used black and red. However, nowadays it is more common to use black and white or, if the candlestick is filled with color, is deemed to be decreasing candlestick (closing price below the opening price). Alternatively, if the candlestick is unfilled this indicates growth (closing price above opening price). Sometimes, filled red candles are used to denote a bearish candle (closing price below the opening price) and a filled green candle denotes a bullish candle (closing price above opening price).

In CandleScanner the user can customize the look of the candlesticks in many ways which best fit his/her preferences.

Figure 3.1 shows the elements which make-up a candle and how it is drawn, depending on the relationship between the opening and closing prices.

3.1.1 Blended candlesticks

We can 'blend' different adjacent candlesticks to form a single candlestick, thus summarising the outcome over several periods in one candle. We can blend candles of similar frequency over any time scales for example, minute-by-minute candles, hour-by-hour candles or day-by-day candles. You can blend as many adjacent candles as you see fit. In effect, by doing this you get a clearer insight into the evolution of market activity over longer time periods. Why would we want to do this? Well, first of all blended candles can create a single, stronger signal. Secondly, by blending candles you eliminate market noise, thereby getting a more accurate reflection of the underlying activity. Finally, continually watching individual candles play-out over short-time periods creates stress which can, and frequently does, result in prematurely stopping out/exiting positions; this can result in losses or less profit taking than originally targeted.

The importance of the last point cannot be understated. The psychological aspect, reacting to short-term patterns, plagues most investors. Analysing groups of blended candles enables us to keep a focus on our trading plan, thereby restraining the emotional reaction arising from adverse short-term price movements. In other words, it helps us not to get caught-up

in the noise and to stick to our original trading plan, waiting for stops or targets to be reached, as set at the beginning of the trade.

So, how does blending work? Very simply: first we decide how many candles we would like to blend, take the opening price of the first candle, the highest and lowest prices achieved across all candles and finally the closing price of the last candle. Using CandleScanner you are able to blend as many candles as you like.

Figure 3.2 show the position for two candles. We have a down period with a relatively large body for the first candle, followed by a period with a larger body, which fully engulfs at the body of the previous period.




Figure 3.2 Blended candles result in a combination known as Hammer/Hanging Man

The two individual candles form what is known as a Bullish Engulfing pattern, the single resulting blended candle being a Hammer/Hanging Man. Because basically they look the same, we can only differentiate between them by context, i.e. *Hammer* can be formed in a downtrend and the *Hanging Man* in an uptrend. The interpretation placed on the Hammer is that it signals a potential bullishness in the market, that is, a potential bullish reversal after a prolonged down trend.

To understand how to construct *blended candlesticks* we need to first understand the notion of *base time interval* used in CandleScanner.

The *base time interval* of the symbol is the minimal time interval which can be used for the given symbol which is imported into CandleScanner. For example, having imported the quotes of EUR/USD symbol expressed in 15-minute time intervals allows us to plot the chart as 15-minute chart, or any multiple of 15-minutes (e.g. 30-minutes, hourly, daily). With the base time interval equal to 15-minutes you cannot, however, plot the chart made up of 20-minutes candlesticks.

Some software on the markets allows this, but it does not make sense and as a result incorrect data is presented. When we have, say, 15-minutes quotes, it means that we have the following information:

- Open price when the 15-minutes period begins
- Close price when the 15-minutes period ends
- High and low price over the 15-minutes period

It is clear from this that we cannot plot 20-minute candles, as we do not have the full profile of market prices as at the end of the 20th minute. For this reason, CandleScanner does not allow you to plot charts in such cases.

As described above, a *blended candle* is a candle which combines a specified number of individual candles for some base time interval. For example, a daily candle (i.e. the one which base interval is one day) can be used to build a blended candle made up of 3 such daily candles. So, as a result of blending 300 daily candles we end up with a set of 100 3-daily candles.

In CandleScanner the user can create custom time intervals to plot on the chart. The following naming convention is used:

- *m* is used for **minutes**; for example $1m = 1 \text{ minute}$, $2m = 2 \text{ minutes}$ and so on
- *h* is used for **hours**; for example $1h = 1 \text{ hour}$, $2h = 2 \text{ hours}$ and so on
- *d* is used for **days**; for example $1d = 1 \text{ day}$, $2d = 2 \text{ days}$ and so on
- *w* is used for **weeks**; for example $1w = 1 \text{ week}$, $2w = 2 \text{ weeks}$ and so on
- *M* is used for **months**; for example $1M = 1 \text{ month}$, $2M = 2 \text{ months}$ and so on
- *Y* is used for **years**; for example $1Y = 1 \text{ year}$, $2Y = 2 \text{ years}$ and so on
- *c* is used for **base time interval candles**; for example $1c = 1 \text{ candle}$, $2c = 2 \text{ candles}$ and so on



Please note that **time interval** (e.g. daily, weekly, monthly) is not always (and most likely is not) the same as the **n base time interval candles** i.e. the combination of an identical number of candles.

It may so happen that, due to holiday for example, there are less than 5 working days in a certain week. If we have daily candles (base time interval of the candle is one day) and display them on the chart in weekly time intervals, this combines the daily candles for the week in question, irrespective of how many actual daily candles there were that week (in this case, the weekly candle would be a blend consisting of 4 daily candles).

Had we used a time interval consisting of 4 candles for a given week, say because of a one day holiday that week, the resulting profile of blended weekly candles would consist of different numbers of daily candles. For this reason, CandleScanner employs the notion of **n base time interval candles**.

In CandleScanner you can switch the time interval in two ways:

- Using the time interval buttons
- Using the combo-box with user defined intervals



Please note that in CandleScanner End-of-Day (EOD) edition it is not possible to display a chart in intraday mode.

3.2 Long and short lines

Candles differ in length, which is shown in the division of the candle. The criterion for this division is fluid and depends on the current situation on the chart. The so called *short line* is the one where the market volatility is very low (small price range). Similarly, the *long line* will be the one of high volatility (high price range). The short/long line can be displayed in CandleScanner with different colors in order that they can readily be recognized. By default, the orange color is used for the short line and a green color for the long line.

Knowing whether a candle is a short or long line is important to correctly recognize, and distinguish, between the many candle patterns. However, to know the details how exactly CandleScanner recognizes whether we have a short or long line is not necessary, especially for the less experienced users.



Figure 3.3 Pfizer Inc. long lines (green) and short lines (orange). Candle length depends on the current volatility of the last 25 sessions, which means that the green candlesticks may have very different span (and still be seen as long lines). Other colors used on the chart are explained in subsequent sections. Please note that such a color theme is implemented in CandleScanner, but the user can also switch to a simple traditional two-color scheme with black and white candles (or other). Using more colors helps, for example, to accept or reject certain candle pattern as valid/invalid.

It is assumed in CandleScanner that the decisions as to whether we are dealing with a long or a short line, we take the whole candle into account (the body with the shadows).

A common analyst's mistake is to look at the historical chart and determine the height and dynamics of the candle, not only on the basis of the historical prices but also on future candles. However, while the candlestick is being formed we do not know the future yet, therefore, we should not use the information about the future volatility of the market.

Figure 3.3 shows that the green candles, representing a long line, have very different spans. For example, the September long lines are significantly shorter than those as at the end of October. But, in both cases, we deal with long lines although in different market conditions.



Long/short line is also known as a **long/short day**. The term "day" (short or long) refers to a single line of candle and derives from the period, where the charts were created on the basis of daily quotations. In the case of charts constructed on the basis of intraday prices, (for example 5 minutes, hourly or others), such a term can be confusing. For this reason, in CandleScanner the term long/short line is used to avoid any misunderstanding.

Moreover, in Greg Morris's book titled "Candlestick Charting Explained", such phrases as long days and short days are referring only to the height of the candle body. This is a surprising approach, because that would mean that the candle with a small body and with very long shadows would be considered as constituting a short day, indicating low volatility during the day. Therefore, it might be considered that this was some simplification on the part of Morris. To repeat, CandleScanner takes into account the whole candle height, i.e. the body and the shadows, if they exist.




Figure 3.4 Determination of the *short* and the *long line*, depending on the average price range. The Green line shows 70% of price volatility for the last 25 bars. We can notice that when the candle height exceeds the green line it is marked as green, meaning that we are dealing with a *long line*. All candles whose height is below the green line are marked in yellow – these are short lines. The Red and dark blue candles are described in section 3.3.

By default CandleScanner adopts the following rule determining whether the candle is a long or a short line: it sets the current range of volatility as an exponential average distance between the highest and lowest prices of individual candles for the last 25 candles. A candle which spans more than 70 percent of this volatility value is regarded as a long line. Candles below this threshold are regarded as short lines.

Figure 3.4 illustrates the process of determining the short and a long line. Red lines designate the average range of volatility for the last 25 candles. The green line in the middle indicates 70 percent of the range between red lines. Each candle located below this threshold is classified as a short line and marked with the orange color. Dark blue and red candles will be discussed later.

The parameter value of 70 percent was arbitrarily chosen. Normally, this depends on personal preference and CandleScanner allows the user to change this to meet specific requirements. Nevertheless, it is good to remember that the more we increase this parameter, the more short lines we will have, and vice versa, when we lower the value, there will be more long lines. This also has an impact on the number of identified candle patterns found by CandleScanner. Despite the discretion, we should remember that the optimal range is somewhere between 65 and 80 percent of the span.

3.3 Basic candles

Given the requirement for information on four prices, OHLC, in order to construct a candle, the resulting candle shapes can take on a variety of forms. The body may be very long or very short, and similarly for shadows. However, *either* the body or the shadows may sometimes not appear at all. This multitude of combinations allows a grouping the candles based on their appearance, enabling them to be interpreted. All the individual candles are called *basic candles*. Most of them are not patterns as such, but they can often play an important role in the assessment of the current situation of the market and its possible further development. Basic candles are components of more complex patterns which can contain two, three or even more basic candles.

Detailed construction of basic candles (and candle patterns) is described in the “A.1 Basic candles” Appendix to this User Guide.

It will be seen that Japanese basic candles and associated patterns can have colorful and imaginative descriptive names (see section 4.1 and Appendix A).

3.3.1 Candles with different open and close prices

Candles with different opening and closing prices having two shadows (upper and lower) and, with a longer body than the shadows, are denoted as follows:

- short white candle (*short line*)
- white candle (*long line*)
- long white candle (*long line*)
- short black candle (*short line*)
- black candle (*long line*)
- long black candle (*long line*)

3.3.2 Marubozu candles

Candles with different opening and closing prices, but not having at least one shadow, are called *marubozu* (jap. *shaved head*). In the case when a single shadow exists, the candlestick body must be longer than the shadow. Marubozu candles occur both for the *short* and *long line*.

Marubozu candles can be one of the following:

- white marubozu
- opening white marubozu
- closing white marubozu
- black marubozu
- opening black marubozu
- closing black marubozu

3.3.3 Spinning tops

Candlesticks with different opening and closing prices and having at least one shadow, where the body of the candle cannot be longer than any shadow, are called *spinning tops*. The following types of *spinning tops* are possible:

- white spinning top (*short* and *long line* if none of the shadows are three times longer than the body)
- black spinning top (*short* and *long line* if none of the shadows are three times longer than the body)
- high wave – a kind of spinning top occurring on a *long line* (if one of the shadows is at least three times longer than the body).

In CandleScanner spinning tops are marked by default in dark blue color.

3.3.4 Doji candles

Candles, in which there is no body, because the opening price is equal to the closing price are called *doji candles* (jap. *fool*, *clumsy*, *slip of the tongue*). Note that CandleScanner can also classify a candle as a *doji* when the opening and closing prices differ by a very small amount (in theory, a *doji* should not have a body, but the difference may be negligible and the on the chart is hardly visible). More on this in section 3.4. Doji may occur with or without shadows. There are the following types of *doji candles*:

- four-price doji
- long-legged doji (*long line*)
- dragonfly doji (*long line*)
- gravestone doji (*long line*)

In CandleScanner the *doji candles* are marked in red color by default when using the *CandleScanner color theme*. All of these basic candles can be part of candlestick patterns, and therefore, it is important to know if we are dealing with a *doji candle* or a *spinning top*. It is easy to mix them up when a *spinning top* has a very small body, which looks on the chart as if the open and close prices are equal.

3.4 Candlestick charts: CandleScanner color theme

Almost all of the western literature devoted to candlesticks has simplified the analysis by limiting the candle colors to dark (black) and light (white) body. According to Seiki Shimizu, the colors of candles were originally much more complex, which he demonstrated in the example of a doji candle, in which there is only a shadow line and a line marking the opening price equal to the closing price¹.

With high price volatility over short time intervals, when the price jumps, for example, by some 30 percent, some candles can look as insignificant points on the chart. The use of color immediately explains and shows the nature of the candle. In CandleScanner users can display colors of their choice in the candlestick charts using the *CandleScanner Color Theme*. The following colors can be displayed:

- green – *long lines*
- orange (dark yellow) – *short lines*
- blue – all kinds of *spinning tops*
- red – all types of *doji candles*

Figure 3.5 shows a candlesticks chart using the *CandleScanner Color Theme*. This theme is optional, and can be switched off if you prefer a simple candlesticks chart using just two colors. Notice that it makes to use the *CandleScanner Color Theme* if you want to quickly spot the difference between *short/long lines* and *spinning tops/doji candles*. For example, some *doji candles* are marked in blue color rather than red as was previously mentioned. This is because in fact such candles are indeed *spinning tops* and not *doji candles*, but their bodies are so small that on the chart they look as if the open and close prices are the same. Hence, most people just looking on the chart would say that they see a *doji candle*, although in fact it is a *spinning top*.

Again, the distinction as to which exact candle we have on the chart is crucial in correctly recognizing the candle pattern. CandleScanner enables the user to adjust the settings of the searching algorithms to meet specific requirements. For example, the CandleScanner algorithm searching for *doji candles* can be adjusted to accept small deviations from the strict doji definition which says that such candles do not have a body (open and close prices are equal). This can be helpful while dealing with larger candles. We can then define in CandleScanner to accept as *doji candles* such cases where body length is up to 3% of the whole candle length. Similarly, CandleScanner allows defining the threshold for *long/short lines*.

¹ S. Shimizu, *The Japanese Chart of Charts*, Tokyo 1986, p. 62–64.



Figure 3.5 Alcoa Inc. candlestick chart using *CandleScanner Color Theme*. Due to using colors it is very easy to see *long/short lines* (green and yellow candlesticks respectively), *spinning tops* (blue candlesticks) and *doji candles* (red candlesticks).

The settings in the *CandleScanner* search algorithms are described in the section 4.4 *Scanner settings*

3.5 Price trend and price averages

Probably one of the easiest ways to determine trend is the use of moving averages. Moving average is simply an average of prices (for example close prices) for a certain number of candles. The shorter the period (fewer candlesticks) to calculate an average the more likely is to be dominated by noise, rather than reflect an underlying trend.

In *CandleScanner* there are three basic types of averages: simple, weighted and exponential. The first is the arithmetic average, where each price has the same impact (i.e. equal weight) on the trend value. The other two measures take account the element of time where, essentially, the more distant candle prices have less impact on the calculated trend value and the more recent prices have a greater impact. Consequently, the weighted and exponential averages respond faster to recent price changes than does the simple average.

It is generally the case that the trend is downward if the prices (candlesticks) are below the calculated average line and the trend is upward if they are above it.

Trend is very important in terms of the candle patterns. Every candle pattern is anticipating either a *continuation* of the current trend or its *reversal*. There are, essentially, the following types of candle patterns in terms of the price trend:

- bullish reversal patterns – reversing downtrend into an uptrend
- bullish continuation patterns – continuation of uptrend
- bearish reversal patterns – reversing uptrend into downtrend
- bearish continuation patterns – continuation of downtrend

In *CandleScanner* the user can set the following parameters related to price trend:

- the period (number of candles) of the moving average used as a trend indicator
- the type of average used as a trend indicator
- how long the required trend needs to last in order to consider established candle pattern as valid

All the above parameters have an impact on the number of candle patterns found by CandleScanner.



Figure 3.6 A so-called *bearish engulfing* candle pattern is forecasting a reversal of an uptrend into a downtrend. The first bearish engulfing pattern is not recognized as a valid pattern because the trend requirement was not met (candles were not above the moving average line). In this particular case, CandleScanner required that an uptrend needs to last at least three candles (days) prior to the occurrence of the candle pattern.

As an example, Figure 3.6 shows how the classification of patterns works according to the trend on the chart. We have three examples of the candle patterns typical for a bear market. To be considered a bearish reversal signal, there should be an existing uptrend to reverse. However, only in the second and third case, with a simple moving average of 10 candles clearly indicating the uptrend, we consider a bearish reversal pattern as valid. In the first case, despite the fact that bearish reversal candle pattern occurred, ultimately it is not recognized as a valid one – the uptrend lasted only for one candle (one day in this case) which is not enough.

The settings on CandleScanner's search algorithms are described in the section 4.4 *Scanner settings*.

4 Scanning candlestick patterns

Candlestick patterns scanning functionality is the central and most important feature of CandleScanner. It allows you to quickly find any candlestick pattern occurrences on the chart. You can also adjust the scanning algorithms to meet your specific requirements.

4.1 Supported candlestick patterns

CandleScanner recognizes in total 105 patterns: 19 basic candles and 86 candlestick patterns. The following list of authors, and their books, had the biggest influence on how the CandleScanner scanning algorithms were implemented:

- Seiki Shimizu (*The Japanese Chart of Charts*)
- Steve Nison (*Japanese Candlestick Charting Techniques*)
- Thomas Bulkowski (*Encyclopedia of Candlestick Charts*)
- Greg Morris (*Candlestick Charting Explained: Timeless Techniques for Trading Stock and Futures*)

The team responsible for developing CandleScanner has spent a considerable amount of time (spanning several years) on the analysis, on comparisons and on tests between what different authors had to say on the subject of candlesticks and candlestick patterns. It so happens, that even between well-known authors, and their publications, there are differences, and even contradictions, on how to apply and interpret candlestick patterns. CandleScanner attempts to remain true to the spirit of the original Japanese formulation(s). Notwithstanding, rather than take and implement a rigid approach, the software also provides the opportunity for users to control various parameters.



For more on the basics of candles please refer to the **Basic candles** section.

Here is the full list of supported candlestick patterns:

- Basic candles (19 in total)

<i>Black Candle</i>	<i>Gravestone Doji</i>	<i>Short Black Candle</i>
<i>Black Marubozu</i>	<i>High Wave</i>	<i>Short White Candle</i>
<i>Black Spinning Top</i>	<i>Long Black Day</i>	<i>White Candle</i>
<i>Closing Black Marubozu</i>	<i>Long White Day</i>	<i>White Marubozu</i>
<i>Closing White Marubozu</i>	<i>Long-Legged Doji</i>	<i>White Spinning Top</i>
<i>Dragonfly Doji</i>	<i>Opening Black Marubozu</i>	
<i>Four-Price Doji</i>	<i>Opening White Marubozu</i>	

- One-line patterns (10 in total)

<i>Bearish Belt Hold</i>	<i>Hammer</i>	<i>Southern Doji</i>
<i>Bullish Belt Hold</i>	<i>Hanging Man</i>	<i>Takuri Line</i>
<i>Gapping Down Doji</i>	<i>Northern Doji</i>	
<i>Gapping Up Doji</i>	<i>One-Candle Shooting Star</i>	

- Two-line patterns (36 in total)

<i>Bearish Doji Star</i>	<i>Bullish Separating Lines</i>	<i>Matching High</i>
<i>Bearish Engulfing</i>	<i>Bullish Tasuki Line</i>	<i>Matching Low</i>
<i>Bearish Harami</i>	<i>Dark Cloud Cover</i>	<i>On Neck</i>
<i>Bearish Harami Cross</i>	<i>Descending Hawk</i>	<i>Piercing</i>
<i>Bearish Meeting Lines</i>	<i>Falling Window</i>	<i>Raising Window</i>
<i>Bearish Separating Lines</i>	<i>Homing Pigeon</i>	<i>Thrusting</i>
<i>Bearish Tasuki Line</i>	<i>In Neck</i>	<i>Turn Down</i>
<i>Bullish Doji Star</i>	<i>Inverted Hammer</i>	<i>Turn Up</i>
<i>Bullish Engulfing</i>	<i>Kicking Down/ Bearish Kicking</i>	<i>Tweezers Bottom</i>

Bullish Harami
Bullish Harami Cross
Bullish Meeting Lines

Kicking Up/ Bullish Kicking
Last Engulfing Bottom
Last Engulfing Top

Tweezers Top
Two Black Gapping Candles
Two-Candle Shooting Star

- Three-line patterns (30 in total)

Bearish Doji Star
Bearish Engulfing
Bearish Harami
Bearish Harami Cross
Bearish Meeting Lines
Bearish Separating Lines
Bearish Tasuki Line
Bullish Doji Star
Bullish Engulfing
Bullish Harami

Bullish Separating Lines
Bullish Tasuki Line
Dark Cloud Cover
Descending Hawk
Falling Window
Homing Pigeon
In Neck
Inverted Hammer
Kicking Down/ Bearish Kicking
Kicking Up/ Bullish Kicking

Matching High
Matching Low
On Neck
Piercing
Raising Window
Thrusting
Turn Down
Turn Up
Tweezers Bottom
Tweezers Top

- Four-line patterns (3 in total)

Concealing Baby Swallow

Bearish Three-Line Strike

Bullish Three-Line Strike

- Five-line patterns (7 in total)

Bearish Breakaway
Bullish Breakaway
Falling Three Methods

Ladder Bottom
Ladder Top
Mat Hold

Rising Three Methods

In *Appendix A: Supported candle patterns* you can find detailed descriptions of every single pattern. In CandleScanner you can also use **Patterns Dictionary** available from the **HOME » New Window** menu as a quick reference.



The **Turn Up** and **Turn Down** patterns were discovered by the CandleScanner team during the development of the software. They are included in the list of supported patterns due to their good efficiency and high frequency, which makes them potentially attractive for traders.

4.2 Displaying patterns on the chart

Scanning for candlestick patterns in CandleScanner is automatic. This means that once you load data into CandleScanner and display the symbol on the price chart, you immediately see the found patterns for the specific symbol. The list of patterns is updated when you switch the time interval in which you are displaying the price chart.



Importing data quotes into CandleScanner is described in the section **Importing data quotes into CandleScanner**.

4.2.1 List of identified patterns

To open a price chart for a specific symbol either right-click on it and select **Open in new window » Price Chart** or click on the button **Price Chart** from the **HOME » New Window** menu.



When the symbol is displayed in the price chart for the first time for a specific time interval, the load time is longer because CandleScanner is scanning patterns on the fly. Subsequent load time of the chart for this symbol will be faster as the scanning results are already saved.

The resulting list of identified patterns is shown to the right of the chart. You can filter these by type and/or by name. For convenience, patterns are displayed on the list in different colors for bullish and bearish patterns (green and red by default).

When any item is clicked on the list, the particular pattern is indicated on the chart with the name and an arrow. Location of the pattern label on the chart can be changed using mouse – simply click on the label and drag and drop it to the desired location. ‘Name’ can be either a number, using the value from the index column where all patterns are listed, or the full name of the pattern. You can switch between them using buttons **Number** and **Name** from the **VIEW » Pattern Label** menu.

Selection of more than one item from the pattern list is possible by holding the *Ctrl* key down and selecting each pattern by *left clicking* the mouse. CandleScanner then indicates on the chart all of the selected pattern occurrences. Please note however that it can happen that not all occurrences can be visible on the chart if the period between first and last pattern is too long so that they cannot be seen on the screen without scrolling it.

When you click on an item from the list of found patterns and this particular pattern occurred in a period which is not currently visible on the chart, it will be automatically scrolled to enabling you see it.

4.2.2 Synchronization between the list of found patterns and the price chart

CandleScanner provides the possibility to synchronize the list of found patterns with the price chart and vice versa. This means that you can, for example, scroll the list of found patterns and the price chart will automatically scroll so that you can see the time periods on the chart. For this reason the list of patterns is always sorted by the date of occurrence in ascending order. The reverse order of synchronization is also possible, i.e. you can scroll the price chart and the list of found patterns will also be scrolled, enabling you to see the patterns from that period which is displayed on the price chart.

Synchronization can be switched on/off separately for price chart and pattern list via the ribbon bar using following checkboxes: **Chart With List** and **List With Chart**. Both checkboxes are available in the **VIEW » Synchronization** menu.

4.2.3 Highlighting patterns on the chart

You can highlight pattern occurrences without clicking on the items on the list of found patterns. There are three options available on the ribbon bar from the **VIEW » Pattern Highlighting** menu:

- **Bullish**
Highlights all bullish patterns (both bullish reversal and bullish continuation). By default, patterns from this group are highlighted by a greenish background.
- **Bearish**
Highlights all bearish patterns (both bearish reversal and bearish continuation). By default, patterns from this group are highlighted by a reddish background.
- **Conflicting**
Highlights all conflicting patterns, i.e. the cases where bullish and bearish patterns occurs at the same time. By default such situations are indicated by a white background.

Every single group of patterns, i.e. bullish, bearish or conflicting can be highlighted by any other color. To modify this please click **Style Edition** button from the **VIEW » Style** menu.

When the mouse is hovered over the highlighted pattern a tooltip is displayed with the full name of the pattern.

4.3 Recent patterns

4.3.1 Checking the list of the most recent patterns for recently used symbols

When the symbol is opened in the **Price Chart** window for the first time, CandleScanner will perform a full scan (for a specified time interval in which the symbol is displayed on the chart). 10 of the most recent patterns found on the chart are then added to the **Recent Patterns** list. If the time interval is changed, CandleScanner will perform the full scan again for the new time interval and 10 new most recent patterns are added.



Recent Patterns contains 10 of the most recent patterns for a **given symbol in a given time interval**. Therefore, if you open some symbol in daily time intervals, and then you switch into hourly time interval, the **Recent Patterns** list will have 20 patterns in total: 10 for daily quotes and 10 for hourly quotes.


4.3.2 Checking the list of the most recent patterns for the group of symbols

If you want to see the most recent patterns for all symbols in the group you can do this by going to the **Group Statistics** in **HOME » New Window** menu. After clicking on the button you need to specify the group of symbols and the time interval over which the patterns will be searched. Then, all symbols for the specified group are scanned and the 10 most recent pattern occurrences for every symbol are added to the **Recent Patterns** list.

4.4 Scanner settings

CandleScanner allows for the definition of more than one scanning profile. Only one profile can be used at a time, but the user can easily switch between profile if needed. This can be helpful on certain occasions such as:

- Different settings for different markets (e.g. stocks, currencies, commodities)
- Different settings for different time intervals (e.g. 5-minute, hourly, daily)
- Different personal preferences (e.g. a different setting for calculating the trend)



4.4.1 Basic settings

4.4.2 Pattern validity settings

4.4.3 Managing scanner settings profiles

More to follow

Settings are set per group.

4.5 Practical recommendations on using CandleScanner

In this section we provide the users with some practical advice on how to use CandleScanner in the most effective way.

4.5.1 Scanning only interesting patterns

CandleScanner recognizes 86 candlestick patterns (excluding basic candles). By default CandleScanner uses all of them during the scanning process. You may however disable some patterns from the scanning process. To do so please go to **TODO**.

Please note that basic candles are always included in the scanning process, i.e. they cannot be disabled as can candlestick patterns. This is due to the fact that basic candles are the building blocks for other patterns and, therefore, always need to be active during scanning.

4.5.2 Scanning speed and some performance recommendations

Overall, CandleScanner is very efficient when it comes to the speed of its scanning algorithms. Performed tests show that on a computer with an Intel Core i7 @ 2.70 GHz processor, the application finds on average 3,700 patterns per second. Nevertheless, it is good to follow few simple recommendations when using CandleScanner in order to make the work more efficient.

In general there are three main factors which have the biggest impact on the speed of CandleScanner:

- Number of quotes per symbol in a given time interval (i.e. number of candlesticks per symbol on the chart)
- Number of patterns which are looked for
- Number of all symbols loaded into CandleScanner (across all symbol groups)



The maximum number of candlesticks (quotes) for one symbol in CandleScanner cannot exceed 500,000 (half million). Using, however, such large data sets is not recommended due to performance issues should all quotes be plotted on the chart or used for statistics calculations. Smaller data sets should be sufficient in most cases. For example, a data set containing 100,000 quotes is equivalent to some 500 years of daily prices or 2 years of hourly prices.

The currently used time interval is important as it comes to the speed of scanning. The factor which does not always matter is the total number of quotes (candlesticks in the base interval). For example, if there is a symbol with 500,000 1-minute quotes (base interval), displayed in a daily mode (c.a. 347 days in this case), it will be faster than the ten times smaller data set made up of 50,000 1-minute quotes (base interval) displayed in 1-minute mode (c.a. 34 days). Simply, in the first case, although the data set consists of 500,000 quotes it is scanned as if there were only 347 quotes because it is presented in daily time intervals.



Base time interval of the symbol is the minimal time interval which can be used for the given symbol. For example, having imported the quotes for EUR/USD symbol expressed in 15-minute time interval, allows one to plot the chart as a 15-minute chart, or any multiple of 15-minutes (e.g. 30-minutes, hourly, daily). With the base time interval equal to 15-minutes you cannot however plot the chart made of 20-minutes candlesticks.

In order to speed up your scanning you should store only the data set which is really needed and relevant to your trading. For example, if you are trading stocks using daily candlestick charts it is far better to use the data set with daily quotes rather than an intraday data set plotted to a daily chart. In this case, even a data set made up of 10,000 daily quotes allows the plotting of charts for the last 40-50 years, which is most probably even more than you need. Even so, such data sets are still relatively very small for CandleScanner, and can be quickly processed.

Another factor which has an impact on scanning speed is the number of patterns which you are looking for. CandleScanner supports 86 patterns (excluding the basic candles). But, most probably, a greater number of them are not that interesting due to their very low frequency of occurrence and hence low statistical significance. It is recommended to exclude from

scanning those patterns which are not interesting. As an example of a good filter for patterns to scan, you can use the following approach:

1. Make sure that all patterns are included in scanning process. TODO –options window
2. Calculate the statistics for the whole symbol group you are going to trade (make sure to specify the right time interval).
3. Open the statistics and check the patterns frequency. Write down the 10 most frequent patterns as the most interesting (i.e. those having a higher statistical significance than the very rare patterns).
4. Exclude the less frequent patterns from the scanning process using Options.

From now on CandleScanner will be looking only for the 10 most frequent patterns, thus running significantly faster than when all 86 patterns are activated for the scanning process. *Make sure, however, that this is undertaken at the individual symbol level as there can be considerable differences in pattern profiles.*

5 Working with statistics

It's not enough just to know that a pattern has occurred on the candlestick chart, but also how "well" or "badly" it had performed in the past. In other words, how effective is the signal being generated?

And here, even before going into a heavy duty backtesting analysis, we can check some simple statistics first. As a first pass, there's no need for detailed model optimization, no need for sophisticated entry/exit methodology and no need for risk and money management rules, just a basic analysis of the underlying statistics. What matters at this stage is: the number of accurate occurrences (how statistically significant the results are) and the price behavior within 10 subsequent candlesticks after the pattern's occurrence,

The most challenging aspect is to effectively convey the statistics and present them in such a way readily showing *pattern efficiency*, just after its occurrence. CandleScanner adopted very simple principle. If there is a bullish reversal or a bullish continuation pattern on the chart, the next 10 candles should demonstrate its prognostic value. CandleScanner checks how many times over the next 10 candles, closing prices were higher than the closing price on the candle when the pattern occurred. The resulting signal value is then classified as belonging to one of the following categories:

- **False forecast:** 0 candles
- **Low efficiency:** 1-3 candles
- **Medium efficiency:** 4-6 candles
- **High efficiency:** 7-10 candles

Please note, we are not talking about the number of consecutive candles in a row, but the total number within the test period of 10 candles. For example, if after pattern occurrence a correct signal was subsequently confirmed on the first, eighth and tenth candle, it means that the candle pattern was confirmed on only 3 occasions, indicating its low efficiency. Of course for bearish reversal patterns or bearish continuation patterns, we are looking for days with closing prices below the closing price on the candles of pattern occurrence.

5.1 Symbol statistics

Symbol statistics calculates, as the name implies, statistics related only to a specific symbol.

More to follow

5.2 Group statistics

Group statistics calculates, as the name implies, statistics for the whole group of symbols. It allows one to look at a particular group of symbols from a broader perspective.

More to follow

5.3 How to interpret statistics

To follow

5.4 Exporting statistics data to external files

To follow

Statistics can be exported from the CandleScanner to Microsoft Excel spreadsheet or to a plain text file. This give an extra flexibility to process statistics calculated in CandleScanner in a custom way.

5.4.1 Exporting to Excel spreadsheet

To Follow

5.4.2 Exporting to text file

To Follow

6 Backtesting

Once we know the patterns' occurrences and efficiency based on the statistics calculated by CandleScanner, we can go a step further. Specifically, we can backtest our trading ideas, using the entry and exit signals we found in the candle patterns. In other words, we can quickly replicate transactions using the identified candle patterns on historic data. The anticipation is that in conducting a test on past data, and arriving at encouraging results, this will repeat in the future. In other words, future performance will resemble past performance, based on similar patterns of candles. There are many aspects and issues which need to be considered when undertaking a thorough and realistic backtest. Here we provide a few basic ideas and an overview of some of the capabilities found in CandleScanner.

CandleScanner allows the user to build a trading strategy without the necessity to write any code. Using a simple user interface you can define your entry signal (pattern) and exit signal (stop-loss, trailing-stop and take-profit). All these building blocks are parametrized, i.e. you can adjust them so they meet your requirements.

You can also optimize your trading system, meaning you can define a range of parameters for different building blocks of your system, and CandleScanner will find the optimal values of those parameters.

For example, you can define a minimum and maximum allowable value defining the width of the trailing-stop used in your trading system. You specify the step (increment) value which will be used by CandleScanner to calculate a set of parameters defining the width of the trailing stop. Every parameter value is then used by CandleScanner to perform a backtest. If more than one parameter is optimized, CandleScanner uses all possible combinations of parameter values, and, for every single combination, performs a backtest. At the end of the optimization process CandleScanner presents the list of results which can be sorted or filtered, as required.

Backtest results contain many metrics which can help you to see how your trading idea(s) performs. You can also export backtest results and process them, for example, in a spreadsheet or some more focused software dedicated to trading system analysis.

Another nice feature of CandleScanner is that every single transaction from the backtest can be displayed on the chart, showing all the most important components such as entry point, stop-loss and trailing-stop/take-profit.

6.1 Backtesting module settings

6.1.1 Entry conditions

6.1.2 Exit conditions

To follow

6.2 How to read the backtest report

To follow

7 Technical analysis

Some traders combine Japanese candlestick patterns with technical analysis indicators. In this section we present several technical indicators supported by CandleScanner together with a short description. This is not intended to be a detailed guide to the various indicators, which are covered by several excellent texts.

There are two main groups here:

- **Technical overlays.** Indicators from this group use the same scale as prices and therefore can be plotted on top of them. For example, in CandleScanner you plot a Simple Moving Average of close prices directly onto the candlestick chart. Moreover, you can then directly compare the two.
- **Technical indicators.** Indicators from this group do not use the same scale as prices. For this reason it's better to plot them in a separate chart, usually below the candle chart. For example, the RSI is an oscillating indicator ranging from 0 to 100. If this indicator was superimposed on the candlestick chart, for example on the EUR/USD FX rate, it would then "flatten" the candlestick pattern rendering it impossible to discern any patterns.

7.1 Working with technical analysis indicators on the chart

CandleScanner can open up to three panels within the chart area (document) at a time. The top panel is reserved for a price chart, the remaining two panels being available for the indicators and/or volume. It is up to the user which panels are visible and their content.

On the first panel, where the price chart is located, you can put indicators which are from the *technical overlays* group. It is not possible to add on this panel other indicators to avoid problems with different scales. You can add more than one *technical overlay* at a time to this panel. For example, you can put Bollinger Bands, and two SMAs with different parameters.

On the second and third panel you can put any indicator you wish, either *technical overlays* or *technical indicators*. Each panel (i.e. the second and third) can be occupied only by one indicator at a time. So, for example, in the second panel you can insert ATR and MACD in the third. If you would like to add the RSI you will need to replace one of these two indicators. Alternatively, you still can view more indicators by opening new document window for the same symbol and place other indicators there.

7.1.1 Adding an indicator to the chart

7.1.2 Hiding indicators on the chart



*Make sure that you are clicking on the right panel within chart document. Every panel is managed separately, therefore, if you want to hide the RSI from the second panel you need to right click on this panel exactly to see it on the list under **Hide** menu item.*

7.1.3 Removing indicators from the chart

In order to remove an indicator from the chart panel right click on it and select **Delete**. Then you will see the list with indicators which are currently on the chart.



*Make sure that you are clicking on the right panel within chart document. Every panel is managed separately, therefore if you want to remove RSI from the second panel you need to right click on this panel exactly to see it on the list under **Delete** menu item.*

7.1.4 Editing indicators



Make sure that you are clicking on the right panel within chart document. Every panel is managed separately, therefore if you want to edit RSI from the second panel you need to right click on this panel exactly to see it on the list under **Edit** menu item.

7.2 Technical overlays

7.2.1 Bollinger Bands (BB)

7.2.2 Chandelier Exit (CE)

7.2.3 Envelope

7.2.4 Exponential Moving Average (EMA)

7.2.5 Parabolic Stop and Reverse (Parabolic SAR)

7.2.6 Simple Moving Average (SMA)

7.2.7 Weighted Moving Average (WMA)

7.3 Technical indicators

7.3.1 Average True Range (ATR)

Average True Range (ATR) is a very popular indicator measuring the market price volatility. It takes into account the price gaps. In order to understand how ATR is built you need to understand the concept of True Range (TR) which is calculated in the following way:

1. Get the value **A** as a difference between Current High and Current Low.
2. Get the value **B** as a difference between Current High and the Previous Close (ignore the negative sign if occurs taking just an absolute value).
3. Get the value **C** as a difference between Current Low and Previous Close (ignore the negative sign if occurs taking just an absolute value).
4. TR is the greatest number among **A**, **B** and **C**.

Having TR calculated we can calculate ATR.

Calculation:

$$\text{First ATR (period)} = \frac{TR_1 + TR_2 + \dots + TR_{\text{period}}}{\text{period}}$$

$$\text{ATR (period)} = \frac{\text{Prior ATR} * (\text{period} - 1) + TR_{\text{period}}}{\text{period}}$$

First ATR is calculated as an average of TR for a given period. After that ATR is smoothed as it is presented in the second quotation.

Parameters:

- *Period* – integer number of candles used to calculate ATR; in CandleScanner period can be set between 1 and 200; default value: 14

7.3.2 Moving Average Convergence/Divergence Oscillator (MACD)

Moving Average Convergence/Divergence Oscillator (MACD) is a momentum indicator. MACD subtracts the fast exponential moving average (usually calculated from 12 candles) from the slow exponential moving average (by default calculated for a period made of 26 candles). As a result MACD line fluctuates above and below the zero line. Additionally there is a notion of signal line computed as an exponential moving average of MACD itself (by default period length of 9 is used). On top of this histogram is used which represents the difference between MACD and signal line.

Calculation:

$$MACD = Fast\ EMA(C, 12) - Slow\ EMA(C, 26)$$

$$Signal\ Line = EMA(MACD, 9)$$

$$MACD\ Histogram = MACD - Signal\ Line$$

where:

Fast EMA – fast exponential moving average (EMA) calculated for close prices

Slow EMA – slow exponential moving average (EMA) calculated for close prices

C – close price

Parameters:

- *Fast EMA Period* – integer number of candles used to calculate EMA of closes; in CandleScanner period can be set between 1 and 200; default value: 12
- *Slow EMA Period* – integer number of candles used to calculate EMA of closes; in CandleScanner period can be set between 1 and 200; default value: 26
- *Signal Line* – integer number of candles used to calculate EMA of MACD; in CandleScanner period can be set between 1 and 200; default value: 9

7.3.3 Relative Strength Index (RSI)

Relative Strength Index (RSI) is a momentum oscillator measuring the speed and change of price movements. RSI values oscillate between 0 and 100. When the value is above 70 the market is considered as overbought and oversold when below 30. Other applications of this indicator are possible like looking for divergences or trend.

Calculation:

$$RSI = 100 - \frac{100}{1 + \frac{G}{L}}$$

where:

G – exponential moving average (EMA) of upward price closes (average gain)

L – exponential moving average (EMA) of downward price closes (average loss)

Parameters:

- *Period* – integer number of candles used to calculate EMA of upward price closes; in CandleScanner period can be set between 1 and 200.

7.3.4 Standard Deviation (SD)

Standard Deviation (SD) measures the variability around the average. As such it can be also used as a measure of volatility.

7.3.5 Stochastic Oscillator

Stochastic is a momentum indicator which shows the location of the close relative to the high-low range for a certain period. On the chart it is plotted with two lines called %K and %D respectively. Value of Stochastic oscillates within 0-100 range.

Calculation:

$$\%K = \frac{\text{Current Close} - \text{Lowest Low}}{(\text{Highest High} - \text{Lowest Low}) * 100}$$

$$\%D = SMA(\%K, n)$$

7.3.6 Stochastic Momentum Index (SMI)

<http://www.thewizardtrader.com/Education/TechnicalIndicators/Indicators/StochasticMomentumIndex.aspx>

Appendix A: Supported candle patterns

This appendix lists all the patterns which can be recognized by CandleScanner. The list contains all publicly known patterns plus two patterns introduced for the first time in CandleScanner namely, *Turn Up* and *Turn Down*.

A.1 Basic candles



Pattern (basic candle)	Description	Construction
	Name: Black Candle Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: White Candle	• black body • required lower and upper shadow • none of the shadows can be larger than the body • appears as a <i>long line</i>
	Name: Short Black Candle Forecast: reversal or continuation of the trend Trend prior to the pattern: n/a Opposite candlestick: Short White Candle	• black body • required lower and upper shadow • none of the shadows can be larger than the body • appears as a <i>short line</i>
	Name: Short White Candle Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Short Black Candle	• white body • required lower and upper shadow • none of the shadows can be larger than the body • appears as a <i>short line</i>
	Name: White Candle Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Black Candle	• white body • required lower and upper shadow • none of the shadows can be larger than the body • appears as a <i>long line</i>

Pattern (basic candle)	Description	Construction
	Name: Doji Dragonfly Japanese name: tonbo Forecast: indecision Trend prior pattern: n/a Opposite candlestick: Gravestone Doji	• opening, closing and high prices are the same or similar • long lower shadow
	Name: Four-Price Doji Japanese name: doji Forecast: indecision Trend prior pattern: n/a Opposite candlestick: none	• a doji candle • all prices are equal • lack of shadows
	Name: Gravestone Doji Japanese name: tohbo Forecast: indecision Trend prior pattern: n/a Opposite candlestick: Doji Dragonfly	• opening, closing and low prices are the same or similar • long upper shadow
	Name: Long-Legged Doji Japanese name: juji, yose Forecast: indecision Trend prior pattern: n/a Opposite candlestick: none Related candle: High Wave	• doji candle • opening and closing prices are the same or similar • upper and lower shadow very long • body is located in the middle of the candle or nearly half
	Name: High Wave Japanese name: toucan nochiai Forecast: indecision Trend prior pattern: n/a Opposite candlestick: none	• black or white body • very small body • one or two shadows required • body cannot be larger than any of the shadows • appears as a <i>long line</i> if the length of the shadow is at least 3 times larger than the body



Pattern (basic candle)	Description	Construction
	Name: Long Black Day Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Long White Day	• black body • required upper and lower shadow • none of the shadows can be larger than the body • body three times bigger than the average body of the last 5 or 10 candles • appears as a <i>long line</i>
	Name: Long White Day Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Long Black Day	• white body • required upper and lower shadow • none of the shadows can be larger than the body • body three times bigger than the average body of the last 5 or 10 candles • appears as a <i>long line</i>
	Name: Black Marubozu Japanese name: marubozu, bozu Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: White Marubozu	• black body • lack of shadows • appears as <i>short</i> and <i>long lines</i>
	Name: Closing Black Marubozu Japanese name: yasunebike Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Closing White Marubozu	• black body • lack of lower shadow • upper shadow smaller than the body • appears as <i>short</i> or <i>long lines</i>
	Name: Closing White Marubozu Japanese name: marubozu, bozu Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Closing Black Marubozu	• white body • lack of upper shadow • lower shadow smaller than the body • appears as <i>short</i> or <i>long lines</i>

Pattern (basic candle)	Description	Construction
	Name: Opening Black Marubozu Japanese name: yoritsuki takane Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Opening White Marubozu	• black body • lack of upper shadow • lower shadow smaller than the body • appears as <i>short</i> or <i>long lines</i>
	Name: Opening White Marubozu Japanese name: marubozu, bozu Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Closing Black Marubozu	• white body • lack of lower shadow • upper shadow smaller than the body • appears as <i>short</i> or <i>long lines</i>
	Name: White Marubozu Japanese name: marubozu, bozu Forecast: reversal or continuation of the trend Trend prior pattern: n/a Opposite candlestick: Black Marubozu	• white body • lack of shadows • occurs on <i>short</i> and <i>long lines</i>
	Name: Black Spinning Top Japanese name: koma Forecast: indecision Trend prior pattern: n/a Opposite candlestick: White Spinning Top	• black body • at least one shadow required • body cannot be larger than any of the shadows • appears as a <i>short line</i> • if none of the shadows exceed three times the body, it is allowed for the candle to be a <i>long line</i>
	Name: White Spinning Top Japanese name: koma Forecast: indecision Trend prior pattern: n/a Opposite candlestick: Black Spinning Top	• white body • at least one shadow required • body cannot be larger than any of the shadows • appears as a <i>short line</i> • if none of the shadows exceed three times the body, it is allowed for the candle to be a <i>long line</i>

A.2 One-line patterns




Pattern (one-line)	Description	Construction
	Name: Bearish Belt Hold Japanese name: yorikiri Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Belt Hold	• black body • lack of upper shadow • small lower shadow • appears as a <i>long line</i>
	Name: Bullish Belt Hold Japanese name: yorikiri Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Belt Hold	• white body • lack of lower shadow • small upper shadow • appears as a <i>long line</i>
	Name: Gapping Down Doji Forecast: bearish continuation Opposite pattern: Gapping Up Doji	• doji candle (with the exception of Four-Price Doji) • high price below the low price of the preceding day (i.e. there is a gap) • the preceding day cannot be a Four-Price Doji
	Name: Gapping Up Doji Forecast: bullish continuation Opposite pattern: Gapping Down Doji	• doji candle (with the exception of Four-Price Doji) • low price above the high price of the preceding day (i.e. there is a gap) • the preceding day cannot be a Four-Price Doji




Pattern (one-line)	Description	Construction
	Name: Northern Doji Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Southern Doji	• doji candle with one or two shadows • if there was a doji candle on the previous day, doji body needs to be above the body of the previous day • if there was not a doji candle on the previous day then: ○ in the case of black body the opening price of the next day needs to be above or at the opening level of the previous day ○ in case of white body the opening of the next day needs to be above or at the closing level of the previous day • low price below the high price of the previous day • low price above or at the level of the trend line • the length of shadows is not important
	Name: Southern Doji Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Northern Doji	• doji candle with one or two shadows • if there was a doji candle on the previous day, doji body needs to be below the body of the previous day • if there was not a doji candle on the previous day then: ○ in the case of black body the opening price of the next day needs to be below or at the closing level of the previous day ○ in case of white body the opening of the next day needs to be below or at the opening level of the previous day • high price above the low price of the previous day • high price below or at the level of the trend line • the length of shadows is not important




Pattern (one-line)	Description	Construction
	Name: Hammer Japanese name: kanazuchi Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Hanging Man	• white or black candle with a small body • no upper shadow or upper shadow cannot be greater than the body • length of the lower shadow from two up to three times larger than the body • opening or closing with the gap strengthens pattern forecast • appears as a <i>long line</i>
	Name: Hanging Man Japanese name: kubitsuri Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Hammer	• white or black candle with a small body • no upper shadow or upper shadow cannot be greater than the body • length of the lower shadow at least two times longer than the body • opening or closing with the gap strengthens pattern forecast • appears as a <i>long line</i> • candle body over the trend line
	Name: One-Candle Shooting Star Japanese name: nagare boshi Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Two-Candle Shooting Star	• white or black candle with a small body • no lower shadow or lower shadow cannot be greater than the body • length of the upper shadow at least two times longer than the body • opening or closing with the gap strengthens pattern forecast • appears as a <i>long line</i>
	Name: Takuri Line Japanese name: takuri Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Hanging Man	• white or black candle with a small body • no upper shadow or upper shadow cannot be greater than the body • length of the lower shadow at least three times larger than the body • opening or closing with the gap strengthens pattern forecast • appears as a <i>long line</i>




A.3 Two-line patterns





Pattern (one-line)	Description	Construction
	Name: Dark Cloud Cover Japanese name: kabuse Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Piercing	• first candle: ○ candle in an uptrend ○ white body • second candle ○ black body ○ opening above or at the high of the first candle ○ closing at least halfway down the body of the white candle from the first candle ○ closing above the opening on the first candle
	Name: Piercing Japanese name: kirikomi Forecast: bullish reversal Trend prior pattern: downtrend Opposite: Dark Cloud Cover	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white body ○ opening below or at the low of the first candle ○ closing at least halfway up the body of the black candle from the first candle ○ closing below the opening on the first candle
	Name: Descending Hawk Japanese name: kakouchu no taka Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Homing Pigeon, Bullish Harami	• first candle: ○ candle in an uptrend ○ white body • second candle ○ white body ○ body resides within the body of the first candle
	Name: Homing Pigeon Japanese name: shita banare kobato gaeshi Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Descending Hawk, Bearish Harami	• first candle: ○ candle in a downtrend ○ black body • second candle ○ black body ○ body resides within the body of the first candle


Pattern (one-line)	Description	Construction
	Name: Bearish Doji Star Japanese name: doji bike Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Doji Star	- first candle: ○ candle in an uptrend ○ white body - second candle ○ doji candle ○ body above the body of the first candle
	Name: Bullish Doji Star Japanese name: doji bike Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Doji Star	- first candle: ○ candle in a downtrend ○ black body - second candle ○ doji candle ○ body below the body of the first candle
	Name: Bearish Engulfing Japanese name: tsutsumi Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Engulfing Extended pattern: Three Outside Down See Also: Last Engulfing Bottom	- first candle: ○ candle in an uptrend ○ white body - second candle ○ black candle ○ black body overlaps the white candle's body
	Name: Bullish Engulfing Japanese name: tsutsumi Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Engulfing Extended pattern: Three Outside Up See Also: Last Engulfing Top	- first candle: ○ candle in a downtrend ○ black body - second candle ○ white candle ○ white body overlaps the black candle's body
	Name: Falling Window Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: Rising Window Remark: pattern is bearish reversal if there was uptrend before	- first candle: ○ candle in a downtrend or closing below the trendline ○ any basic candle except Four-Price Doji - second candle ○ any basic candle except Four-Price Doji ○ high below the prior low



Pattern (one-line)	Description	Construction
	Name: Rising Window Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: Falling Window Remark: pattern is bearish reversal if there was downtrend before	• first candle: ○ candle in an uptrend or closing above the trendline ○ any basic candle except Four-Price Doji • second candle ○ any basic candle except Four-Price Doji ○ low above the prior high
	Name: Bearish Harami Japanese name: harami Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Harami Extended pattern: Three Inside Down	• first candle: ○ candle in an uptrend ○ white body • second candle ○ black body ○ body resides within the body of the first candle
	Name: Bullish Harami Japanese name: harami Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Harami Extended pattern: Three Inside Up	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white body ○ body resides within the body of the first candle
	Name: Bearish Harami Cross Japanese name: harami yose sen Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Harami Cross	• first candle: ○ candle in an uptrend ○ white body • second candle ○ doji candle ○ high-low price range resides within the body of the first candle
	Name: Bullish Harami Cross Japanese name: harami yose sen Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Harami Cross	• first candle: ○ candle in a downtrend ○ black body • second candle ○ doji candle ○ high-low price range resides within the body of the first candle

Pattern (one-line)	Description	Construction
	Name: In Neck Japanese name: irikubi Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: none	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white candle ○ open below the close of the first candle ○ close is into the body of the first candle but not much (10-15%)
	Name: Inverted Hammer Japanese name: tohba Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Two-Line Shooting Star	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white or black candle with small body ○ no lower shadow or shadow no longer than the body ○ upper shadow at least 2.5 times longer than the body ○ opening below or at close price from the first candle
	Name: Two-Line Shooting Star Japanese name: nagare boshi Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Inverted Hammer	• first candle: ○ candle in an uptrend ○ white body • second candle ○ white or black candle with small body ○ no lower shadow or shadow no longer than the body ○ upper shadow at least 2.5 times longer than the body ○ opening above or at close price from the first candle
	Name: Kicking Down/Bearish Kicking Japanese name: kerī ashi Forecast: reversal or continuation of the trend Opposite pattern: Kicking Up	• first candle: ○ white marubozu • second candle ○ black marubozu ○ opening below open price from the first candle



Pattern (one-line)	Description	Construction
	Name: Kicking Up/Bullish Kicking Japanese name: kerī ashi Forecast: reversal or continuation of the trend Opposite pattern: Kicking Up	• first candle: ○ white marubozu • second candle ○ black marubozu ○ opening below open price from the first candle
	Name: Last Engulfing Bottom Forecast: bullish reversal or continuation of the downtrend Trend prior pattern: downtrend Opposite pattern: Last Engulfing Top See Also: Bearish Engulfing	• first candle: ○ candle in a downtrend ○ white body • second candle ○ black body ○ black body overlaps the white candle's body
	Name: Last Engulfing Top Forecast: bearish reversal or continuation of the uptrend Trend prior pattern: uptrend Opposite pattern: Last Engulfing Bottom See Also: Bullish Engulfing	• first candle: ○ candle in an uptrend ○ black body • second candle ○ white body ○ white body overlaps the black candle's body
	Name: Matching High Japanese name: niten tenjō Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Matching Low	• both candles are Closing White Marubozu • first candle: ○ candle in an uptrend ○ white body • second candle ○ white body ○ opening above the open price from the first candle ○ close matches the prior close
	Name: Matching Low Japanese name: niten zoko/knuki Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Matching High	• both candles are Closing Black Marubozu • first candle: ○ candle in a downtrend ○ black body • second candle ○ black body ○ opening below the open price from the first candle ○ close matches the prior close


Pattern (one-line)	Description	Construction
	Name: Bearish Meeting Lines Japanese name: deaisen Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Meeting Lines	• first candle: ○ candle in an uptrend ○ white body • second candle ○ black body ○ closing equals the open price from the first candle
	Name: Bullish Meeting Lines Japanese name: deaisen Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Meeting Lines	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white body ○ closing equals the close price from the first candle
	Name: In Neck Japanese name: atekubi Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: none	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white candle ○ open below the close of the first candle ○ closing matches the prior low
	Name: Bearish Separating Lines Japanese name: iki chigai sen Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: Bullish Separating Lines	• first candle: ○ candle in a downtrend ○ white body • second candle ○ black body ○ opening matches the prior open price
	Name: Bullish Separating Lines Japanese name: iki chigai sen Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: Bearish Separating Lines	• first candle: ○ candle in an uptrend ○ black body • second candle ○ white body ○ opening matches the prior open price



Pattern (one-line)	Description	Construction
	Name: Bearish Tasuki Line Japanese name: tasuki Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Tasuki Line See Also: Downside Tasuki Gap, Downside Gap Three Methods	• first candle: ○ candle in an uptrend ○ white body ○ low below prior high • second candle ○ black body ○ opening below or at close price from the first candle ○ closing below prior open price
	Name: Bullish Tasuki Line Japanese name: tasuki Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Tasuki Line See Also: Upside Tasuki Gap, Upside Gap Three Methods	• first candle: ○ candle in a downtrend ○ black body ○ high above prior low • second candle ○ white body ○ opening below or at close price from the first candle ○ closing above prior open price
	Name: Thrusting Japanese name: sashikomi Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: none	• first candle: ○ candle in a downtrend ○ black body ○ high above prior low • second candle ○ white body ○ opening below prior low ○ closing above prior close price ○ closing below the midpoint of the prior body
	Name: Turn Down Forecast: bullish reversal Trend prior pattern: uptrend Opposite pattern: Turn Up	• first candle: ○ any candle in an uptrend except Four-Price Doji ○ body above the trend line • second candle ○ black body ○ body below the trend line
	Name: Turn Up Forecast: bearish reversal Trend prior pattern: downtrend Opposite pattern: Turn Down	• first candle: ○ any candle in a downtrend except Four-Price Doji ○ body below the trend line • second candle ○ white body ○ body above the trend line



Pattern (one-line)	Description	Construction
	Name: Tweezers Bottom Japanese name: kenukizoko Number of candles: 1, 2, 3, 4 or more Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Tweezers Top	• first candle: ○ candle in a downtrend ○ any candle except Four-Price Doji • second candle ○ any candle except Four-Price Doji ○ low matches the prior low • every subsequent day ○ any candle except Four-Price Doji ○ low matches the prior low
	Name: Tweezers Top Japanese name: kenukitenjo Number of candles: 1, 2, 3, 4 or more Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Tweezers Bottom	• first candle: ○ candle in an uptrend ○ any candle except Four-Price Doji • second candle ○ any candle except Four-Price Doji ○ high matches the prior high • every subsequent day ○ any candle except Four-Price Doji ○ high matches the prior high
	Name: Two Black Gapping Candles Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: none	• first candle: ○ candle in a downtrend ○ black body ○ price gaps lower from the prior candle • second candle ○ black body ○ opening below prior open price but not lower than low price ○ closing below prior close price


A.4 Three-line patterns



Pattern (one-line)	Description	Construction
	Name: Bearish Abandoned Baby Japanese name: sute go Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Abandoned Baby	• first candle: ○ candle in an uptrend ○ white body • second candle ○ doji candle ○ low above the prior high • third candle ○ black body ○ high below the prior low
	Name: Bullish Abandoned Baby Japanese name: sute go Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Abandoned Baby	• first candle: ○ candle in a downtrend ○ black body • second candle ○ doji candle ○ high below the prior low • third candle ○ white body ○ low above the prior high
	Name: Advance Block Japanese name: sakizumari Forecast: bearish reversal Trend prior pattern: uptrend Opposite candlestick: none Similar pattern: Deliberation	• first candle: ○ candle in an uptrend ○ white body • second candle ○ white body ○ opening within the previous body ○ closing above the prior close price • third candle ○ white body ○ opening within the previous body ○ closing above the prior close price
	Name: Collapsing Doji Star Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: none	• first candle: ○ candle in an uptrend ○ white body • second candle ○ doji candle ○ high below the prior low • third candle ○ black body ○ high below the prior low



Pattern (one-line)	Description	Construction
	Name: Deliberation Japanese name: akasansen shianboshi Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: none Similar pattern: Advance Block	• first candle: ○ candle in an uptrend ○ white body • second candle ○ white body ○ opening above the prior open price ○ closing above the prior close price • third candle ○ white body ○ opening slightly below or above the prior close price ○ closing above the prior close price
	Name: Downside Gap Three Methods Japanese name: shita banare sanpoo ippon dachi Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: Upside Gap Three Methods	• first candle: ○ candle in a downtrend ○ black body • second candle ○ black body ○ high below prior low • third candle ○ white body ○ opening within the previous body ○ closing within the first candle body (i.e. the gap between two black candles is closed)
	Name: Upside Gap Three Methods Japanese name: uwa banare sanpoo hatsu oshi Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: Downside Gap Three Methods	• first candle: ○ candle in an uptrend ○ white body • second candle ○ white body ○ low above prior high • third candle ○ black body ○ opening within the previous body ○ closing within the first candle body (i.e. the gap between two white candles is closed)

Pattern (one-line)	Description	Construction
 The diagram shows a sequence of three red candles followed by a blue candle with a gap above it, and then another blue candle with a gap above it. The first blue candle has a gap above it, and the second blue candle has a gap above it.	Name: Downside Tasuki Gap Japanese name: shita banare tasuki Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: Upside Tasuki Gap	• first candle: ○ candle in a downtrend ○ black body • second candle ○ black body ○ high below prior low • third candle ○ white body ○ opening within the previous body ○ closing below the closing from the first day (i.e. the gap between two black candles is not closed).
 The diagram shows a sequence of three green candles followed by a blue candle with a gap above it, and then another blue candle with a gap above it. The first blue candle has a gap above it, and the second blue candle has a gap above it.	Name: Upside Tasuki Gap Japanese name: uwa banare tasuki Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: Downside Tasuki Gap	• first candle: ○ candle in an uptrend ○ black body • second candle ○ black body ○ high below prior low • third candle ○ white body ○ opening within the previous body ○ closing above the closing from the first day (i.e. the gap between two white candles is not closed).
 The diagram shows a sequence of three green candles followed by a blue candle with a gap above it, and then another blue candle with a gap above it. The first blue candle has a gap above it, and the second blue candle has a gap above it.	Name: Evening Doji Star Japanese name: yoi no myojyo doji bike minamijyuji set Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Morning Doji Star	• first candle: ○ candle in an uptrend ○ white body • second candle ○ doji candle ○ doji body above prior close ○ doji low below prior high • third candle ○ black body ○ body below the prior body ○ closing below the midpoint of the body from the first day

Pattern (one-line)	Description	Construction
	Name: Morning Doji Star Japanese name: ake no myojyo doji bike Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Evening Doji Star	• first candle: ○ candle in a downtrend ○ black body • second candle ○ doji candle ○ doji body below prior close ○ doji high above prior low • third candle ○ white body ○ body above the prior body ○ closing above the midpoint of the body from the first day
	Name: Evening Star Japanese name: sankawa yoi no myojyo Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Morning Star	• first candle: ○ candle in an uptrend ○ white body • second candle ○ white or black body ○ body above prior body • third candle ○ black body ○ body below prior body ○ closing below the midpoint of the body from the first candle
	Name: Morning Star/Three River Morning Star Japanese name: sankawa yoi no myojyo Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Evening Star	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white or black body ○ body below prior body • third candle ○ white body ○ body above prior body ○ closing above the midpoint of the body from the first candle
	Name: Identical Three Crows Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: none Similar pattern: Three (Black) Crows	• first candle: ○ candle in an uptrend ○ black body • second candle ○ black body ○ opening at the previous close price • third candle ○ black body ○ opening at the previous close price


Pattern (one-line)	Description	Construction
 The diagram shows a candlestick pattern consisting of three red candles followed by two white candles. The first candle is a black body. The second candle is a white body with its high below the prior low. The third candle is a white body with its high below the low of the first candle and its body about the same size as the previous one.	Name: Bearish Side-by-Side White Lines Japanese name: narabi aka Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: Bullish Side-by-Side White Lines	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white body ○ high below prior low • third candle ○ white body ○ high below low from the first candle ○ candle about the same size as the previous one
 The diagram shows a candlestick pattern consisting of three green candles followed by two white candles. The first candle is a white body. The second candle is a white body with its low above the prior high. The third candle is a white body with its low above the high of the first candle and its body about the same size as the previous one.	Name: Bullish Side-by-Side White Lines Japanese name: uwappanare narabi aka Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: Bearish Side-by-Side White Lines	• first candle: ○ candle in an uptrend ○ white body • second candle ○ white body ○ low above prior high • third candle ○ white body ○ low above high from the first candle ○ candle about the same size as the previous one
 The diagram shows a candlestick pattern consisting of three green candles followed by three black candles. The first candle is a black body. The second candle is a black body with its opening within the body of the previous candle and its close below the prior close. The third candle is a black body with its opening within the body of the previous candle and its close below the prior close.	Name: Three Black Crows Japanese name: sanba garasu Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Three White Soldiers	• first candle: ○ candle in an uptrend ○ black body • second candle ○ black body ○ opening within the body of the previous candle ○ close below prior close • third candle ○ black body ○ opening within the body of the previous candle ○ close below prior close

Pattern (one-line)	Description	Construction
	Name: Three White Soldiers Japanese name: sanpei, aka sanpei Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Three Black Crows	• first candle: ○ candle in a downtrend ○ white body • second candle ○ white body ○ opening within the body of the previous candle ○ close above prior close • third candle ○ white body ○ opening within the body of the previous candle ○ close above prior close
	Name: Three Inside Down Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Three Inside Up See also: Bearish Harami	• first candle: ○ candle in an uptrend ○ white body • second candle ○ black body ○ open and close within the body of the previous candle • third candle ○ close below prior close
	Name: Three Inside Up Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Three Inside Down See also: Bullish Harami	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white body ○ open and close within the body of the previous candle • third candle ○ close above prior close
	Name: Three Outside Down Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Three Outside Up See also: Bearish Engulfing	• first candle: ○ candle in an uptrend ○ white body • second candle ○ black body ○ open above prior close ○ close below prior open • third candle ○ close below prior close ○ black body

Pattern (one-line)	Description	Construction
	Name: Three Outside Up Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Three Outside Down See also: Bullish Engulfing	• first candle: ○ candle in a downtrend ○ black body • second candle ○ white body ○ open below prior close ○ close above prior open • third candle ○ close above prior close ○ white body
	Name: Three Stars in the South Japanese name: kyoku no santen boshi Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: none	• first candle: ○ candle in a downtrend ○ black body ○ long lower shadow • second candle ○ black body ○ open below prior open ○ close below or at the level of prior close ○ low above prior low • third candle ○ Black Marubozu ○ appears as a <i>short line</i>
	Name: Bearish Tri-Star Japanese name: santen boshi Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Tri-Star	• first candle: ○ doji candle • second candle ○ doji candle ○ body above the prior body • third candle ○ doji candle ○ body below the prior body
	Name: Bullish Tri-Star Japanese name: santen boshi Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Tri-Star	• first candle: ○ doji candle • second candle ○ doji candle ○ body below the prior body • third candle ○ doji candle ○ body above the prior body

Pattern (one-line)	Description	Construction
	Name: Two Crows Japanese name: niwa garasu Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: none Similar pattern: Upside Gap Two Crows	• first candle: ○ candle in an uptrend ○ white body • second candle ○ price gap ○ black body ○ body above the prior body • third candle ○ black body ○ open within prior body ○ close within body from the first candle
	Name: Unique Three-River Bottom Japanese name: sankawa soko zuka Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: none	• first candle: ○ candle in a downtrend ○ black body • second candle ○ black body ○ body within prior body ○ low below prior low ○ lower shadow at least twice longer than the body • third candle ○ white body ○ body below prior body ○ low above the prior low
	Name: Upside Gap Two Crows Japanese name: shita banare niwa garasu Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: none Similar pattern: Two Crows	• first candle: ○ candle in an uptrend ○ white body • second candle ○ black body ○ body above prior body • third candle ○ black body ○ open above prior open ○ close below prior close ○ close above the close from the first candle


A.5 Four-line patterns

Pattern (one-line)	Description	Construction
	Name: Concealing Baby Swallow Japanese name: kotsubame tsutsumi Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: none	• first candle: ○ candle in a downtrend ○ Black Marubozu • second candle ○ Black Marubozu ○ open within the prior body ○ close below the prior close • third candle ○ High Wave without lower shadow ○ black body ○ open below prior close ○ long upper shadow ○ high above the prior close • fourth candle ○ black candle ○ open above the prior high ○ close below the prior close
	Name: Bearish Three-Line Strike Japanese name: santeuchi Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: Bullish Three-Line Strike	• first candle: ○ candle in a downtrend ○ black candle • second candle ○ black candle ○ open within the prior body ○ close below the prior close • third candle ○ black candle ○ open within the prior body ○ close below the prior close • fourth candle ○ white candle ○ open below the prior close ○ close above the first candle's open


Pattern (one-line)	Description	Construction
	Name: Bullish Three-Line Strike Japanese name: santeuchi Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: Bearish Three-Line Strike	• first candle: ○ candle in an uptrend ○ white candle • second candle ○ white candle ○ open within the prior body ○ close above the prior close • third candle ○ white candle ○ open within the prior body ○ close above the prior close • fourth candle ○ black candle ○ open above the prior close ○ close below the first candle's open


A.6 Five-line patterns

Pattern (one-line)	Description	Construction
	Name: Bearish Breakaway Japanese name: hanare sante no shinnzuke Forecast: bearish reversal Trend prior pattern: uptrend Opposite pattern: Bullish Breakaway	• first candle: ○ white candle ○ appears as a <i>long line</i> • second candle ○ low above the prior high ○ white candle • third candle ○ white or black candle ○ open above the prior open • fourth candle ○ white candle ○ close above the prior close • fifth candle ○ black candle ○ appears as a <i>long line</i> ○ open below the prior close ○ close below the second candle's open but above the first candle's close ○ gap from the second candle is not closed

Pattern (one-line)	Description	Construction
	Name: Bullish Breakaway Japanese name: hanare sante no shinnzuke Forecast: bullish reversal Trend prior pattern: downtrend Opposite pattern: Bearish Breakaway	• first candle: ○ black candle ○ appears as a <i>long line</i> • second candle ○ high below the prior low ○ black candle • third candle ○ white or black candle ○ open below the prior open • fourth candle ○ black candle ○ close below the prior close • fifth candle ○ white candle ○ appears as a <i>long line</i> ○ open above the prior close ○ close above the second candle's open but below the first candle's close ○ gap from the second candle is not closed

Pattern (one-line)	Description	Construction
	Name: Falling Three Methods Japanese name: shita banare sanpoo ohdatekomi Forecast: bearish continuation Trend prior pattern: downtrend Opposite pattern: Rising Three Methods	• first candle: ○ candle in a downtrend ○ black candle • second candle ○ white candle ○ open above the prior close ○ close below the prior open ○ shadows within the prior low and high • third candle ○ white candle ○ open above the prior open ○ close above the prior close <i>or</i> ○ black candle ○ open above the prior close ○ close above the prior open ○ shadows within the low and high from the first candle • fourth candle ○ white candle <i>if the prior candle is white</i> ○ open above the prior open ○ close above the prior close <i>if the prior candle is black</i> ○ open above the prior close ○ close above the prior open ○ shadows within the low and high from the first candle • fifth candle ○ black candle ○ open below the prior close ○ close below the close from the first candle


Pattern (one-line)	Description	Construction
	Name: Rising Three Methods Japanese name: uwa banare sanpoo ohdatekomi Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: Falling Three Methods	• first candle: ○ candle in an uptrend ○ white candle • second candle ○ black candle ○ open below the prior close ○ close above the prior open ○ shadows within the prior low and high • third candle ○ black candle ○ open below the prior open ○ close below the prior close <i>or</i> ○ white candle ○ open below the prior close ○ close below the prior open ○ shadows within the low and high from the first candle • fourth candle ○ black candle <i>if the prior candle is white</i> ○ open below the prior close ○ close below the prior open <i>if the prior candle is black</i> ○ open below the prior open ○ close below the prior close ○ shadows within the low and high from the first candle • fifth candle ○ white candle ○ open above the prior close ○ close above the close from the first candle

Pattern (one-line)	Description	Construction
	Name: Ladder Bottom Japanese name: hashigo gaeshi Forecast: bearish reversal Trend prior pattern: downtrend Opposite pattern: Ladder Top	• first candle: ○ candle in a downtrend ○ black candle • second candle ○ black candle ○ open below the prior open ○ close below the prior close • third candle ○ black candle ○ open below the prior open ○ close below the prior close • fourth candle ○ black candle ○ open below the prior open ○ close below the prior close ○ upper shadow above the prior close • fifth candle ○ white candle ○ open above the prior open
	Name: Ladder Top Japanese name: hashigo teppen Forecast: bullish reversal Trend prior pattern: uptrend Opposite pattern: Ladder Bottom	• first candle: ○ candle in an uptrend ○ white candle • second candle ○ white candle ○ open above the prior open ○ close above the prior close • third candle ○ white candle ○ open above the prior open ○ close above the prior close • fourth candle ○ white candle ○ open above the prior open ○ close above the prior close ○ lower shadow below the prior close • fifth candle ○ black candle ○ open below the prior open


Pattern (one-line)	Description	Construction
	Name: Mat Hold Japanese name: uwa banare sante oshf Forecast: bullish continuation Trend prior pattern: uptrend Opposite pattern: none	• first candle: ○ candle in an uptrend ○ white candle • second candle ○ black candle ○ close above the prior close • third candle <i>if black candle</i> ○ open below the prior open ○ close below the prior close <i>if white candle</i> ○ open below the prior close ○ close below the prior open ○ low above the prior low • fourth candle ○ black candle <i>if the third candle is black</i> ○ open below the prior open ○ close below the prior close <i>if the third candle is white</i> ○ open below the prior close ○ close below the prior open ○ low above the prior low • fifth candle ○ white candle ○ open above the prior open ○ close above the high from the four previous candles


Appendix B: List of ribbon bar elements


B.1 FILE tab

Group Name	Icon/Widget	Description
N/A		This menu gives an access to CandleScanner Options window. Additionally there is an access to a panel presenting details of the User's license.


B.2 HOME tab

Group Name	Icon/Widget	Description
Scanner	 Search Criteria	Opens a window where scanner algorithms can be adjusted to meet specific user's requirements. Scanner algorithms are responsible for searching the candlestick patterns. Therefore any changes should be done with full understanding because they may have a big impact on the search results.
New Window	 Price Chart	Opens a new window with the price chart (candlesticks chart by default) and makes this window active.
New Window	 Recent Patterns	Opens a new window with the latest patterns found in all symbols groups defined in CandleScanner. The logic is that it shows always 10 (by default) latest patterns occurrences (if exists) for a given time interval and symbol.
New Window	 Symbol Statistics	Opens a new window with the statistics of an active symbol.
New Window	 Group Statistics	Opens a new window with the statistics of an active symbols group.
New Window	backtest	Opens a new window within which you can back-test your trading strategies based on the candlestick patterns.
New Window	 Quotes	Opens a new window with a matrix presenting active symbol's quotes data in a tabular form rather than visual chart (e.g. candlesticks chart).


Group Name	Icon/Widget	Description
New Window		Opens a document window with Candlestick Patterns Dictionary . This is a quick reference with all candlestick patterns known by CandleScanner. For more in-depth description please check the Appendix A: Supported candle patterns from this guide.
Active Symbol		Active symbol in CandleScanner is such an item for which user can perform certain actions (i.e. open a window with candlestick chart or statistics). This widget is composed of two lists: the top list contains the same items as in the Groups window, and the bottom list contains the same items as in the Symbols window. If currently there is no active symbol in CandleScanner the widget is blank.
Interval		Button switching the current time interval to 5 minutes for a symbol. If the base (minimum) interval of a specific symbol is higher than 5 minutes error message is displayed explaining that the operation cannot be performed.
Interval		Button switching the current time interval to 15 minutes for a symbol. If the base (minimum) interval of a specific symbol is higher than 15 minutes error message is displayed explaining that the operation cannot be performed.
Interval		Button switching the current time interval to 30 minutes for a symbol. If the base (minimum) interval of a specific symbol is higher than 30 minutes error message is displayed explaining that the operation cannot be performed.
Interval		Button switching the current time interval to 1 hour for a symbol. If the base (minimum) interval of a specific symbol is higher than 1 hour error message is displayed explaining that the operation cannot be performed.
Interval		Button switching the current time interval to 1 day for a symbol. If the base (minimum) interval of a specific symbol is higher than 1 day error message is displayed explaining that the operation cannot be performed.
Interval		Button switching the current time interval to 1 week for a symbol. If the base (minimum) interval of a specific symbol is higher than 1 week error message is displayed explaining that the operation cannot be performed.
Interval		Button switching the current time interval to 1 year for a symbol. If the base (minimum) interval of a specific symbol is higher than 1 year error message is displayed explaining that the operation cannot be performed.
Interval		Opens a window in which custom time interval can be selected or created.

Group Name	Icon/Widget	Description
Interval		Displays the list of custom time intervals (i.e. those created by the user) and enables to change current time interval for an active symbol. If the base (minimum) interval of a specific symbol is higher than one selected error message is displayed explaining that the operation cannot be performed.
Chart	 Candlesticks	Displays the chart window as a candlestick chart.
Chart	 Bars	Displays the chart window as a bar chart.
Chart	 Line	Displays the chart window as a line chart.

B.3 DATA tab


Group Name	Icon/Widget	Description
Import	 From Text File	Opens a wizard window which guides through a process of importing quotes data written in ASCII format to CandleScanner application.
Import	 From Metastock	Opens a wizard window which guides through a process of importing quotes data written in binary MetaStock® format to CandleScanner application.
Import	 From CandleScanner Format	Opens a wizard window which guides through a process of importing quotes data written in CandleScanner format to CandleScanner application. Data in CandleScanner format can be exported from CandleQuote application.
Export	 To Image	
Export	To excel	
Export	To text	

B.4 VIEW tab

Group Name	Icon/Widget	Description
Windows Layout	☒ Group List	Hide/unhide the window with Symbol Groups.
Windows Layout	☒ Symbol List	Hide/unhide the window with Symbols.
Windows Layout	☒ Symbol Properties	Hide/unhide the window with Symbol Properties.
Windows Layout	 Default Layout	Restores the default layout of CandleScanner windows. Application restart is required after clicking this button. Please note that your current windows layout will be lost.
Chart	☒ Pattern Trend	
Chart	☒ Volume	
Chart	☒ Volume Trend	
Chart	☒ Market Data	
Chart	☒ Pattern List	
Chart	☒ Indicator Panel	
Cursor	 Vertical Line	
Cursor	 Crosshair	
Cursor	 None	
Candlestick Theme	Classic	
Candlestick Theme	CandleScanner	
Candlestick Theme	Trend	

Group Name	Icon/Widget	Description
Candlestick Theme	customized	
Style		
Style		

B.5 STATISTICS tab

Group Name	Icon/Widget	Description
Range	☒ All Available Quotes	
Range	From 22 September, 1981 ▼	
Range	To 02 May, 2014 ▼	
Range		
Candle Pattern Filter	Bullish reversal ▼	
	X	
	X	
Data	12 Number	
Data	% Percent	

B.6 BACKTEST tab

Group Name	Icon/Widget	Description
Settings	 Backtester Settings	
Range	☒ All Available Quotes	
Range	From 01 January, 2000 ▼	
Range	To 20 September, 2014 ▼	
Range	 Execute	

Appendix C: Troubleshooting

Problem	Solution
Application is very slow when clicking on the symbol in the list.	

Appendix D: Data feeds

D.1 Free data feeds

Market	Source Name	Description
Worldwide exchanges	YAHOO! Finance	Free end-of-day data quotes for most major markets worldwide. You can easily fetch quotes using CandleQuote application and then import it to CandleScanner.

D.2 Paid data feeds

Appendix E: Frequently Added Questions

Suggested literature about candle patterns.